

DAY ONE
Golden Cheese Co.
Corona, CA
August 6, 2009
Page 1



ITEM	QTY	DESCRIPTION
1	1	Weigh-Tronix QC.3265 Digital Platform Scale, S/N 010192 with Approximately 9" x 9" Platform
2	1	Weigh-Tronix QC.3265 Digital Platform Scale, S/N 023621 with Approximately 9" x 9" Platform
3	1	Weigh-Tronix QC.3265 Digital Platform Scale, S/N 010195 with Approximately 9" x 9" Platform
4	1	Weigh-Tronix QC.3265 Digital Platform Scale, S/N 024644 with Approximately 9" x 9" Platform
5	1	Weigh-Tronix QC.3265 Digital Platform Scale, S/N 010196 with Approximately 9" x 9" Platform
6	1	Tri-Clover 3" 3-Way Long Stem Clamp Type S/S Air Valve
7	1	Tri-Clover 3" 3-Way Long Stem Clamp Type S/S Air Valve
8	1	Tri-Clover 3" 3-Way Long Stem Clamp Type S/S Air Valve
9	1	2-1/2" S/S Pneumatic Butterfly Valve
10	1	2-1/2" S/S Pneumatic Butterfly Valve
11	1	Waukesha 2-1/2" S/S Air Valve, S/N 157698
12	1	Tri-Clover 2" 2-Way Long Stem Clamp Type S/S Air Valve
13	1	Waukesha / Cherry Burrell 2" 2-Way S/S Air Valve, S/N 396517
14	1	Waukesha / Cherry Burrell 2" 2-Way S/S Air Valve, S/N 396515
15	1	Amtex Rotron Regenerative Blower, Cat #510895, S/N F0504076184 - 4//2.3 hp, 3450/2900 RPM Motor
16	2	Tri-Clover 4" 2-Way Long Stem Clamp Type S/S Air Valves with Teflon Stem
17	2	Tri-Clover 4" 2-Way Long Stem Clamp Type S/S Air Valves with Teflon Stem
18	2	Tri-Clover 4" 2-Way Long Stem Clamp Type S/S Air Valves with Teflon Stem
19	2	Tri-Clover 4" Long Stem Clamp Type S/S Air Valve Actuators with Teflon Stem
20	2	Tri-Clover 4" Long Stem Clamp Type S/S Air Valve Actuators with Teflon Stem
21	2	Tri-Clover 4" Long Stem Clamp Type S/S Air Valve Actuators with Teflon Stem
22	2	Tri-Clover 4" Long Stem Clamp Type S/S Air Valve Actuators with Teflon Stem
23	2	Tri-Clover 4" Long Stem Clamp Type S/S Air Valve Actuators with Teflon Stem
24	2	Tri-Clover 3" Clamp Type S/S Air Valve Actuators with Teflon Stem
25	2	Tri-Clover 3" Clamp Type S/S Air Valve Actuators with Teflon Stem
26	2	Tri-Clover S/S Air Valve Actuators with Teflon Stem
27	2	Tri-Clover S/S Air Valve Actuators with Teflon Stem
28	3	Tri-Clover S/S Air Valve Actuators with Teflon Stem
29	2	Tri-Clover S/S Air Valve Actuators with Teflon Stem
30	3	Tri-Clover S/S Air Valve Actuators with Teflon Stem
31	3	Assorted Tri-Clover 4" Clamp Type S/S Air Valves and Actuator
32	3	Tri-Clover S/S Air Valve Actuators
33	28	Assorted Line Wrenches
34	1	75" L x 21" W x 17" Deep S/S Jet Spray Wash Trough with Centrifugal Pump
35	1	Video Jet Excel Server 100 Ink Jet Coder, S/N E9111065
36	1	S/S Portable Foamer
37	1	Knight Foam Clean Portable Foamer



ITEM	QTY	DESCRIPTION
38	1	Lafferty S/S Sanitizer Stand
39	1	Cox Portable Hose Reel
40	1	Mettler Toledo 5,000 lb. Digital Platform, Model HAWK, S/N 00572206KF with 48" x 48" Platform
41	1	Airweigh 3,000 lb. Digital Platform Scale, Model TI-1620, S/N AW858 with 48" x 48" Platform
42	1	48" x 48" Electric Scissorlift Platform with Foot Controls
43	1	New ABB Commander 1900 Digital Chart Recorder/Controller, Order #373352-002, S/N N/28419/9/1
44	1
45	1
46	1
47	1
48	1	Berkel Deli Slicer, Model 919E, S/N 9620 - 111111771
49	1	Berkel Deli Slicer, Model 919E, S/N 9620 111111668
50	1	Airweigh 50 lb. Digital Platform Scale, Model AW600, S/N AW4051 - Complete with 18" W x 20" W Roller Type Platform, Mounted on Portable S/S Prep Table
51	1	Accu-Rate 18" x 18" S/S Dry Material Feeder, S/N 16725 - 01A-610 with Teflon Hopper, Mounted on Rubbermaid Cart (*Note: Missing Feed Screw*)
52	1	Siemens 20 hp Variable Speed Drive, Type MidiMaster Vector, Type 6SE3223 - 0DH40
53	1	Siemens 20 hp Variable Speed Drive, Type 6SE3224 - 2DJ40
54	1	(2) Woods E-Trac and Allen Bradley 1 hp AC Inverters, Model XFC4001 - OB and 110BA03NSF1P1
55	1	Sato Labeler, Model M8400 RVE
56	1	Sato Labeler, Model M8400 RVE (*NOTE: Missing Front Cover*)
57	1
58	1
59	1
60	1	NestaFlex Model 226 Portable Flexible Skate Conveyor - 24" W
61	1
62	1
63	1
64	1
65	108	1" to 2-1/2" S/S Clamps
66	60	3" S/S Clamps
67	40	4" S/S Clamps
68	40	4" S/S Clamps
69	37	5" S/S Clamps
70	36	New S/S Fittings including 1-1/2" to 2" S/S T's and Elbows
71	1	6 ft. L x 30" W S/S Table
72	1	6 ft. L x 30" W S/S Table
73	1	(3) Assorted S/S Tables - (1) with Wheels



ITEM	QTY	DESCRIPTION
74	1
75	1
76	1
77	1
78	1
79	1
80	1	Urschel Lab Inc. S/S Shredder, Model RA-A, S/N 1102
81	1	Kusel 54" L x 36" W S/S Jacketed Pilot Plant Cheese Vat, Model 5MX, S/N 497427 - Complete with Circulating Pump, Dual Agitation and Cutler Hammer Controls
82	1
83	1
84	1
85	1
86	1
87	1
88	1
89	1
90	1
91	1
92	1
93	1
94	1
95	1
96	1
97	1
98	1
***** SALE CONTINUES IN WHEY BUFFER ROOM *****		
99	1	*** BULK BID - WHEY BUFFER ROOM LOTS 100 - 113 (** SUBJECT TO PIECEMEAL BIDDING***) ***
100	1	1999 Westfalia / GEA 9,250 GPH MSE 300 Whey Separator, Type MSE-300-96-777, S/N 1719895
101	1	1999 Westfalia / GEA 9,250 GPH MSE 300 Whey Separator, Type MSE-300-96-777, S/N 1719896
102	1	CM Chain Block with Trolley (*NOTE: Beam Not Included*)
103	1	1999 A & B Process Systems 4,045 Gal. Dome-Top S/S Whey Buffer Tank, Model WBT-4000-A, S/N 90390601-A - Complete with Concave Bottom, Bottom Man Door and (2) Tri-Clover 4" Air Valves
104	1	1999 A & B Process Systems 4,045 Gal. Dome-Top S/S Whey Buffer Tank, Model WBT-4000-B, S/N 90390601-B - Complete with Concave Bottom, Bottom Man Door and (2) Tri-Clover 4" Air Valves
105	1	Fristam 20 hp Centrifugal Pump, Model FPX-1151-250 - Complete with 4" x 4" Clamp Type S/S Head and 1770 RPM Motor



ITEM	QTY	DESCRIPTION
106	1	Fristam 15 hp Centrifugal Pump, Model FPX-3551-245 - Complete with 4" x 2-1/2" Clamp Type S/S Head and 1775 RPM Motor
107	1	Endress-Hausser Promag H 3" S/S Flow Meter, Clamp Type, Order #53H80-1FOB 1AA0BBAA with Digital Read-Out
108	19	Tri-Clover 2", 3" to 4" S/S Air Valve Cluster
109	12	Tri-Clover 3" to 4" S/S Air Valve Cluster
110	16	Tri-Clover 2" to 3" S/S Air Valve Cluster including Check Valves and Fittings
111	1	Buffer Room Process Control Panel - Complete with Siemens Simatic 505 PLC Controller with Switches and Transformers Mounted in S/S Enclosure
112	1	2" to 4" Installed S/S Piping (*Located in Room) including Hangers
113	1	Haws Eyewash/Shower Station
114	1
115	1
***** SALE CONTINUES LINE 2 CHEESE PROCESSING ROOM *****		
116	1	BULK BID - LINE #2 CHEESE PROCESSING (***) SUBJECT TO PIECEMEAL BIDDING(***)
117	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 5, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
118	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 6, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
119	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 1, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
120	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 4, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
121	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 2, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
122	1	1999 Scherping 70,000 lbs. HCV S/S Cheese Vat, Model HCV-60, S/N 990092002 - 3, (Pressure 3 psi at 220 Degree, -20 Degree at 3 psi) including (4) Tri-Clover 4" S/S Air Valves
122A	1	Assorted Scherping HCV Cheese Vat Parts including Motors, Drives, Etc.
123	1	Maso Process Pump, Type SPS-6, S/N 72270799 - Complete with 6" Clamp Type S/S Head, SEW 15 hp Drive Mounted on S/S Frame
124	1	Sine Process Pump, Model MR-160, S/N 102600204 - Complete with 6" Clamp Type S/S Head, SEW Drive Mounted on S/S Frame
125	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-1-255 - Complete with 4" x 4" Clamp Type S/S Head and 1770 RPM Motor
126	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-1-255 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor



ITEM	QTY	DESCRIPTION
127	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-1-250 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor
128	51	Tri-Clover 4" S/S Air Valves with S/S Pipe Manifolds and Flow Verter Station (*Located on Front Side of Vats*)
129	6	Tri-Clover 4" S/S Air Valves with S/S Manifolds (*Located on Rear of Vats*)
130	1	Siemens Simatic 505 PLC Remote Controller with S/S Enclosure
131	1	Siemens Simatic 505 PLC Remote Controller with S/S Enclosure (*For Vats #5 and #6*)
132	1	Siemens Simatic 505 PLC Remote Controller with S/S Enclosure (*For Vats #3 and #4*)
133	1	Siemens Simatic 505 PLC Remote Controller with S/S Enclosure (*For Vats #1 and #2*)
133A	1	Siemens Simatic 505 PLC Remote Controller with S/S Enclosure (*Located Near DMC*)
134	1	1999 Damrow DMC, S/N 88060 - Complete with Drives, Tri-Clover Air Valves, Pump and Controls (Blueprint 64 ft. L x 183" W x 10 ft. H)
134A	1	Assorted DMC Spare Parts including Drives, Bearings, Etc.
135	1	DMC CIP System - Complete with (2) 1999 A & B 1,500 Gal. Dome-Top Insulated S/S Tanks, Model CIP-1500A and B - Complete with (3) Fristam Centrifugal Pumps, 12-Valve Tri-Clover Air Valve Cluster
136	1	Pasilac S/S Plate Heat Exchanger, Type N35, S/N 15176 with (74) Plates
137	2	S/S Finesavers Mounted on S/S Rack with Fristam Centrifugal Pump including Spare Parts
138	1	75" L x 20" W x 17" Deep S/S Jet Spray Wash Trough
139	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-195 with 3" x 2-1/2" Clamp Type S/S Head
140	1	CIP System - Complete with 1999 A & B Process Systems 1,000 Gal. Insulated S/S Tank, Model HWR-1000 with (4) Fristam Centrifugal Pumps - 10 hp and 25 hp with Check Valves
***** SALE CONTINUES ON CHEESE VAT MEZZANINE DECK *****		
141	2	Pasilac 3" Mag Flow Meters, Size C76
142	16	Tri-Clover 1-1/2" to 4" S/S Air Valves (Most Model 761TR)
143	27	Tri-Clover 1-1/2" to 4" S/S Air Valves (Most Model 761TR)
144	38	Tri-Clover 1-1/2" to 4" S/S Air Valves (Most Model 761TR)
145	1	(8) 4" Air Valve Cluster including (2) Foxboro Temperature Sensors with Read-Outs, (3) Check and Butterfly Valves
146	1
147	1	Approximately 90 ft. L x 37 ft. W x 9 ft. H Multiple Deck S/S Mezzanine Platform - Complete with Stairs, Plastic Grating and Supports (*Surrounding DMC and Cheese Vats*)
148	1	Damrow / GEA Enclosed Salting Drain Belt System, 47 ft. L x 12 ft. 4" W x 81" H - Complete with Drives, Belt, Fristam Pumps, Tri-Clover Air Valves and Siemens Simatic 505 PLC Controller in S/S Enclosure



ITEM	QTY	DESCRIPTION
149	1	12 ft. L S/S Curd Elevator with 10" Auger with Tank, Drive and Walk Platform
150	1	1-1/2" to 4" Installed S/S Piping (*Located in Line 2 Cheese Processing Room*)
151	1
152	1
***** SALE CONTINUES LINE 2 - BLOCK FORMING TOWER ROOM *****		
153	1	*** BULK BID - LINE #2 BLOCK FORMING SYSTEM (***) SUBJECT TO PIECEMEAL BIDDING***) ***
154	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9902 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
155	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9903 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
156	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9901 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
157	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9905 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
158	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9906 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
159	1	1999 Stoelting 2,000 lb. per hour Block Former, S/N 296698NR9904 - Complete with Nash Lyco Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and PLC Controls
160	1	40" H x 39" W 1999 A & B 220 Gal. S/S Balance Tank - Complete with Fristam 15 hp Centrifugal Pump
161	1	27 ft. 5" L Tower Outfeed Conveyor System - Complete with 18" Plastic Belt with Drive
161A	1	Block Tower Auxiliary Equipment Located Upstairs - Complete with Pasilac S/S Plate Press, Type H17, S/N 15755 with (75) Plates, Fristam Centrifugal Pump with (2) 36" L x 8" W Online Filters and 10" Vacuum Pump Manifold
162	1	APV Crepaco 90" L x 25" W S/S Jacketed Process Blender, S/N K0369 with Control, Variable Speed Drive, Valve and Fittings
163	1	Sine Process Pump with 4" Clamp Type S/S Head Mounted on Portable S/S Frame
164	1	RMF S/S Bag Sealer with 4 ft. L Seal Head
165	1	Airweigh Digital Platform Scale with 24" x 21" Conveyor Platform
166	1	Intertape Polymer Carton Sealer, Model USA2024 - 4CR, S/N 27010
167	1	142" L x 12" W S/S Roller Conveyor
168	1	4" Installed S/S Piping (*Located in Cheese Tower Room Only*)
***** SALE CONTINUES LINE 2 CHEESE PACKING ROOM *****		



ITEM	QTY	DESCRIPTION
169	1	*** BULK BID - CHEESE PACKAGING ROOM (***SUBJECT TO PIECEMEAL BIDDING***) ***
170	1	2001 Beta-Vac / Equipment Maintenance Limited S/S Vacuum Packaging Machine, Model Super Plus, S/N 128E with Allen Bradley PLC Controls with Panelview 550
171	1	1999 Ogdenburg Blockmaster Case Packer - Complete with All S/S Constructed Dynatec-Gluer, Siemens Sitop PLC
172	1	(3) Pc. - 4 ft., 6 ft. and 7 ft. S/S Power Conveyors All with 15" W Plastic Belt with Drives (*Infeeding Beta Vac and Ogdenburg*)
173	1	1999 Goring Kerr Metal Detector with 16" W x 9" H Opening and DSP-2 Head, Mounted on 7 ft. 4" L x 14" W S/S Power Conveyor System
174	1	1999 Ishida Checkweigher, Model DACS-W-300-SB /PB-N, S/N 42975 with 32" L x 18" W Belt
175	1	1999 Marsh Overture LT Ink Jet Coder, P/N 22254, S/N 22254 2639 005 with (1) Head
176	1	160 ft. L Overhead Power Conveyor System - Most Sections Complete with 12" W Plastic Chain includes 10" W Belt Type Incline - Complete with Leg Supports, Drives, Adjustable Side Rails (*Note: Starting Near Beta Vac Ending in Warehouse*)
177	1	28 ft. L x 117" W x 9 ft. H Steel Constructed Operator's Platform - Complete with Stairs, Handrail, Leg Supports, Metal Grating, Bolt Constructed
178	1	(3) Computer Cabinets with (2) Computer Systems with Lexmark Printer and Sato Labeler
179	1	Motoman Robot Palletizer System, Type YASNAC ERCS 304/S604CV) SC (On Controls), Type YRS304 WSC, S/N RH99 (On Robot) with Trim Table and Conveyors
180	1	1999 Vertical Systems Inc. 14 ft. H Pallet Dispenser - Complete with 24 ft. 5" L Conveyor Infeed Bed x 45" W, Model STACK / UNSTACK, S/N 58101 with Allen Bradley SLC 500 Controller
181	1	1999 Vertical Systems Inc. 14 ft. H Pallet Dispenser - Complete with 24 ft. 5" L Conveyor Infeed Bed x 45" W, Model STACK / UNSTACK, S/N 581-1 with Allen Bradley SLC 500 Controller
182	1	KDC Line 2 Conveyor Control Panel - Complete with Siemens Simatic 505 PLC Controller with Starters, Relays, Fuses and Main Switch
183	1	Lantech Pallet Stretch Wrapper, S/N QA002145 - Complete with Turntable, 45" W Infeed and Outfeed Conveyor
184	1	Line 2 Packaging Room Spare Parts Package
185	1
186	1
187	1
188	1
189	1

***** SALE CONTINUES IN RECEIVING AREA *****



ITEM	QTY	DESCRIPTION
190	1	APV 25,000 lbs. per hour Cream Press System - Complete with (3) Dividers, (182) Plates, Fristam Pumps, Balance Tanks, Air Valves, 1-1/2" Holding Tube, Anderson AJ300 Chart Recorder and Allen Bradley and Siemens PLC Controls
191	1	58" W x 3 ft. H S/S Jacketed Cream Tank with Agitator, Pump and Valves
192	1	DCI 20,000 Gal. S/S Cream Silo, S/N C99-D-5426-B - Complete with Vertical Agitator, (2) Tri-Clover Air Valves and Level Sensor (Silo #01)
193	1	DCI 20,000 Gal. S/S Cream Silo, S/N C99-D-5426-A - Complete with Vertical Agitator, (2) Tri-Clover Air Valves and Level Sensor (Silo #02)
194	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-245 with 4" x 2-1/2" Clamp Type S/S Head and 1760 RPM Motor
195	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-245 with 4" x 2-1/2" Clamp Type S/S Head and 1760 RPM Motor
196	1	Waukesha Size 018 Positive Displacement Pump, S/N 362972 R1U204 - Complete with 1-1/2" Clamp Type S/S Head, 3 hp Drive and S/S Frame
197	1	Tri-Clover Positive Displacement Pump, Model TSR2WLS - 15MDY0WT-AO, S/N 480589-01, 1-1/2" Clamp Type S/S Head with Drive Mounted on S/S Frame
198	17	Tri-Clover and Pasilac 2" S/S Air Valves
199	16	Tri-Clover 2" and 4" S/S Air Valves
200	1	(3) Pc. - Endress Hauser ProMass F 1-1/2" S/S Flow Meter - Complete with Tri-Clover 2-Way Air Valve and Check Valve
201	1	(3) Pc. - Endress Hauser ProMass F 1-1/2" S/S Flow Meter - Complete with Tri-Clover 2-Way Air Valve and Check Valve
202	1	2004 Walker 20,000 Gal. Refrigerated S/S Silo, Model VSHT, S/N SPG44145 - Complete with Vertical Agitator, (2) Air Valves, Level Sensor (Tank #11.16.00)
203	1	2004 Walker 20,000 Gal. Refrigerated S/S Silo, Model VSHT, S/N SPG44146 - Complete with Vertical Agitator, (2) Air Valves, Level Sensor (Tank #11.15.00)
204	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N D13960-1 - Complete with Horizontal Agitator, Air Valve and Level Sensor (Silo 12)
205	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N D13960-2 - Complete with Horizontal Agitator, Air Valve and Level Sensor (Silo 11)
206	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N D13960-5 - Complete with Horizontal Agitator, (2) Air Valves and Level Sensor (Silo 10)
207	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N D13960-4 - Complete with Horizontal Agitator, (2) Air Valves and Level Sensor (Silo 9)
208	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N D13960-3 - Complete with Horizontal Agitator, Air Valve and Level Sensor (Silo 8)
209	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N 153193-1 - Complete with Horizontal Agitator, (2) Air Valves and Level Sensor (Silo 7)
210	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, Complete with Horizontal Agitator and Level Sensor (Silo 13)
211	1	Mueller 60,000 Gal. S/S Milk Silo, Model SV, S/N 153193-2 - Complete with Horizontal Agitator and Level Sensor (Silo 14)



ITEM	QTY	DESCRIPTION
212	1	Waukesha Positive Displacement Pump, Model 130, S/N 417155.06 - Complete with 3" Clamp Type S/S Head, 7.5 hp Drive, Mounted on S/S Frame
213	1	Waukesha Positive Displacement Pump, Model 130, S/N 35310204 - Complete with 3" Clamp Type S/S Head, 7.5 hp Drive, Mounted on S/S Frame
214	1	Endress-Hauser Promag H 2" Clamp Type S/S Flow Meter, Order #53H50 - 1F0B1AB 0BBAA with Digital Read-Out
215	1	Endress-Hauser Promag H 2" Clamp Type S/S Flow Meter, Order #53H50 - 1F0B1AB 0BBAA with Digital Read-Out
216	27	Tri-Clover 2" and 3" S/S Air Valve Cluster, Model 761TR with Check Valves
217	1	APV S/S Plate Press, Model SR21, S/N 20358 with (97) Plates and Tri-Clover 3" Air Valve
218	1	Fristam 7-1/2 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1760 RPM Motor
219	1	Waukesha Positive Displacement Pump, Model 030U2, S/N 27461600, Mounted on S/S Frame
220	1	1999 GEA 280 GPM Milk HTST System with Press, Type VT80BC12, S/N 172/10854 with (2) Dividers, Tri-Clover Flow Diversion Valve, 4" Holding Tube, (3) Centrifugal Pumps, Tri-Clover Air Valves, Balance Tank, Flow Meter and Allen Bradley PLC Controls (133,000 lbs. per hour)
221	1	1993 GEA 449 GPM Milk HTST System with Press Type VT80LOC1N, S/N 172/1102 with (2) Dividers, Tri-Clover Flow Diversion Valve, 4" Holding Tube, (4) Centrifugal Pumps, Tri-Clover Air Valves, Balance Tank, Flow Meter, Allen Bradley PLC Controls and Walk Platform (193,000 lbs. per hour)
221A	1	Online Standardizer with Xycom Display
222	33	Pasilac 3" and 4" S/S Air Valve Cluster in Rack
223	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-250 - Complete with 4" x 4" Clamp Type S/S Head and 1750 RPM Motor
224	1	10 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head, 3510 RPM Motor and Pasilac Air Valve
225	5	Pasilac 3" S/S Air Valves
226	5	Pasilac 3" S/S Air Valves
227	31	Tri-Clover and Pasilac 3" and 4" S/S Air Valves
228	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-250 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor
229	1
230	1
231	1
***** SALE CONTINUES OUTSIDE IN RECEIVING BAY AREA *****		
232	1	2003 Galbreath Trash Compactor System, Model PF6040, S/N SC5117 - Complete with 24 ft. L x 7 ft. W Container with Hydraulic System and Controls (2 cu.yd.)
233	1
234	1



ITEM	QTY	DESCRIPTION
235	1
236	1
237	1	Continental Hydraulic System - Complete with (3) 40 hp Pumps, 7 ft. x 25" W x 52" H Reservoir and Canvas Cover
238	1	High Pressure Wash System - Complete with Pump and (2) Tanks
239	1
240	1	Large Assortment 1-1/2" to 4" S/S Piping and Connectors
241	1
242	1	Safe Harbor 12 ft. L x 4 ft. W x 10 ft. H Tanker Receiving Platform - Complete with Stairs, Dual Retractable Wings, Galvanized Constructed with Supports, Handrail including Balancer and Transfer Hose
243	1	30" H x 12" W S/S Air Eliminator Pod - Complete with Fristam 20 hp Centrifugal Pump, 4" Check Valve, Online Filter and Pasilac Air Valve
244	1	Fristam 25 hp Centrifugal Pump - Complete with (5) Pasilac S/S Air Valves
245	1
246	1	Safe Harbor 12 ft. L x 4 ft. W x 10 ft. H Tanker Receiving Platform - Complete with Stairs, Dual Retractable Wings, Galvanized Constructed with Supports, Handrail including Balancer and Transfer Hose
247	1	Receiving System Complete with 30" H x 12" W S/S Air Eliminator Pod, (2) Fristam 10 and 25 hp Centrifugal Pumps, (13) Tri-Clover and Pasilac 3" and 4" S/S Air Valves, Chart Recorder and Check Valves
248	1
249	1	Safe Harbor 5 ft. L x 3 ft. W x 10 ft. H Tanker Receiving Platform - Complete with Stairs, Dual Retractable Wings, Galvanized Construction with Supports and Handrails
250	1	Safe Harbor 5 ft. L x 3 ft. W x 10 ft. H Tanker Receiving Platform - Complete with Stairs, Dual Retractable Wings, Galvanized Construction with Supports and Handrails
251	1	Milk Intake PLC Control Panel - Complete with Siemens Simatic 505 Remote PLC Controller with Transformer, Switches and S/S Enclosure
252	1	2" to 4" Installed S/S Piping (Located in Receiving Bay Only)
253	1
254	1	Large Assortment S/S Platforms including Plastic Grating
255	1
256	1
***** SALE CONTINUES IN SALT HANDLING ROOM *****		
257	1	*** BULK BID - SALT HANDLING ROOM (***SUBJECT TO PIECEMEAL BIDDING***) ***
258	1	Vibranetics 8 ft. W Cone-Bottom S/S Bin, Model BD-5, S/N DSA-7213 with 12" Vibratory Bottom and Support Structure
259	1	K-Tron Feeder System, PO #94082, S/N 940467 (180 kg)
260	1	K-Tron Feeder System, PO #96934, S/N 94 (180 kg)



ITEM	QTY	DESCRIPTION
261	1	Acrison Feeder, Model 105Z-FF/2, S/N 99107-01 with Aegis 1,000 lb. Scale Platform
262	1	Acrison Feeder, Model 105Z-FF/2, S/N 99107-02 with Aegis 1,000 lb. Scale Platform
263	1	(3) pc. S/S Auger Conveyors - (1) 6 ft. L and (2) 8 ft. L with Approximately 6" Augers with Drives
264	1	Roots 15 hp Rotary Lobe Blower, Model 45U-RAI with Filter
265	1	Roots 15 hp Rotary Lobe Blower, Model 45U-RAI with Filter
266	1	Sutorbilt 5 hp Rotary Lobe Blower, Model GAB4DPA
267	1	Roots 5 hp Rotary Lobe Blower, Model 32URAI
268	1
269	1
270	1	42" W x 45" H Dome-Top S/S Tank
271	1	Culligan Hi-Flo 2 Water Softener System with 18" H x 24" W S/S Balance Tank, 5.5 hp Centrifugal Pump, (4) Pasilac 1" Butterfly and Air Valves, Chemical Feed Pumps and Micro Motion Flow Meter with Piping
272	1	Haws Emergency Eyewash/Shower Station
273	1
274	1
		***** SALE CONTINUES IN MILK PROCESSING CIP SYSTEM *****
275	1	DEC 4-Tank CIP System - Complete with 3,000 Gal. Cone-Bottom S/S Tanks, (5) Fristam Pumps, Tri-Clover S/S Air Valves, S/S Shell and Tube Heat Exchanger, Balance Tank (Raw CIP System)
276	1
		***** SALE CONTINUES IN SECONDARY STARTER ROOM *****
277	1	*** BULK BID - SECONDARY STARTER ROOM (***)SUBJECT TO PIECEMEAL BIDDING***) ***
278	1	2004 AGC 48,000 lbs. per hour Starter HTST System, Model PRO3-SH, S/N D4137 - Complete with (2) Dividers, Balance Tank, 2-1/2" Holding Tube, Tri-Clover Flow Diversion Valve, (3) Fristam Centrifugal Pumps, Tri-Clover and Pasilac Air and Check Valves, Endress-Hauser Flow Meter including Siemens PLC Controls with Installed S/S Piping in Room
279	1	Gaulin 3-Piston Homogenizer, Type 450KF63BS with Painted Exterior
280	1	2004 AGC Plate Press, Model PRO2F, S/N 04145 with Painted Frame with Fristam 10 hp Centrifugal Pump, Endress-Hauser 2" Flow Meter, (2) Tri-Clover Air Valves with (2) Pneumatic Butterfly Valves
281	1
282	1	Mueller 6,000 Gal. Dome-Top Cone-Bottom S/S Starter Tank, Model C1C, S/N 238691-8 - Complete Swept Surface Agitator, Tri-Clover Air Valve, Pneumatic Valves, 150 psi
283	1	Mueller 6,000 Gal. Dome-Top Cone-Bottom S/S Starter Tank, Model C1C, S/N 238691-7 - Complete Swept Surface Agitator, Tri-Clover Air Valve, Pneumatic Valves, 150 psi



ITEM	QTY	DESCRIPTION
284	1	Mueller 6,000 Gal. Dome-Top Cone-Bottom S/S Starter Tank, Model C1C, S/N 238691-9 - Complete Swept Surface Agitator, Tri-Clover Air Valve, Pneumatic Valves, 150 psi
285	1	Mueller 6,000 Gal. Dome-Top Cone-Bottom S/S Starter Tank, Model C1C, S/N 238691-10 - Complete Swept Surface Agitator, Tri-Clover Air Valve, Pneumatic Valves, 150 psi
286	1	Starter Control Panel - Complete with Siemens Simatic 505 Remote PLC Controller with Transformers and Switches, S/S Enclosure (Located on Upper Deck Walk Platform)
287	2	Tri-Clover and Pasilac 2" and 2-1/2" 2 and 3-Way Clamp Type S/S Air Valves with Check Valve (*Located Above Lot #282 Tank*)
288	9	Tri-Clover 2" S/S Air Valve Cluster with Model 761TR Air Valves includes (2) Clamp Type S/S Check Valves (*Located Above Lot #283 Tank*)
289	22	Tri-Clover 2" S/S Air Valve Cluster with Model 761TR Air Valves (*Located Above Lot #284 and Lot #285*)
290	1	Approximately 60 ft. L x 3 to 12 ft. W x 10 ft. H S/S Starter Tank Walk Platform - Complete with Handrail, Ladder and Supports
291	1
292	1	Pasilac 5 ft. W S/S Funnel, S/N 64-004-27 - Complete with 4" Clamp Type Bottom with (3) Pasilac Air Valves and Check Valve
293	1	5 ft. W x 39" W x 3 ft. H S/S Platform with Plastic Grating and Handrail
294	1	Fristam 20 hp Centrifugal Pump, Model FPX1151-250 - Complete with 4" x 2-1/2" Clamp Type S/S Head and 3525 RPM Motor
295	1	Fristam 10 hp Centrifugal Pump, Model FPX1732-155 - Complete with 3" x 2" Clamp Type S/S Head and 3500 RPM Motor
296	1	Fristam 15 hp Centrifugal Pump, Model FPX1732-155 - Complete with 2-1/2" x 2" Clamp Type S/S Head and 3450 RPM Motor
297	1	Fristam 10 hp Centrifugal Pump, Model FPX1732-155 - Complete with 2-1/2" x 2" Clamp Type S/S Head and 3500 RPM Motor
298	1	Fristam 10 hp Centrifugal Pump, Model FPX1732-155 - Complete with 2-1/2" x 2" Clamp Type S/S Head with All S/S Clad Baldor 3450 RPM Motor
299	1	Fristam 15 hp Centrifugal Pump, Model FPX742-185 - Complete with 2-1/2" x 2" Clamp Type S/S Head and 3450 RPM Motor
300	1	(10) Pc. - (8) Tri-Clover and Pasilac 2" and 2-1/2" S/S Air Valve Cluster and (2) Pneumatic and (1) Manual Butterfly Valves
301	1	(4) Pc. Endress-Hauser 1-1/2" S/S Flow Meter, Order #53H40-1F0B 1RB0B AAA with (2) Tri-Clover 2" S/S Air Valves and Check Valve
302	1	(4) Pc. Endress-Hauser 1-1/2" S/S Flow Meter, Order #53H40-1F0B 1RB0B AAA with (2) Tri-Clover 2" S/S Air Valves and Check Valve
303	18	Tri-Clover 2" to 3" S/S Air Valves, Model 761TR
304	12	Tri-Clover 2" to 3" S/S Air Valves, Model 761TR



ITEM	QTY	DESCRIPTION
305	1	Semi Bulk Systems Skid-Mounted Unit - Complete with 32" H x 15" W S/S Tank with Fristam Approximately 10 hp Centrifugal Pump with Tri-Clover Air Valve, Flow Verger Station, Air Actuated Butterfly Valve and Temperature Sensors
306	1	Installed 1-1/2" to 3" S/S Piping including Connectors (*Located in Cheese Secondary Starter Room Only*)
307	1
308	1	(5) Pc. - Bug Zapper, (2) Emergency Eyewash/Shower Stations and (2) Foamers (*NOTE: 1-Foamer Located in Primary Starter Room*)
309	1
310	1	2004 Semi Bulk System Inc. 2-Station S/S Tote Powder Dump Station, Model S6165-13, S/N 04-015 (Blueprint Approximately 13 ft. H x 5 ft. W x 8 ft. 6" L) with S/S Support, Mettler Toledo Mounted on Load Cells with Digital Read-Out including CM 2-Ton Electric Hoist with Tote Lifter, Trolley, I-Beam and Control Cabinet and Computer System
311	1	Donaldson Dust Collector System, Model DFO 3-3, S/N IG923070, 93" H x 5 ft. D x 24" W and 5 hp Motor
312	1	Mepaco 4,000 lb. S/S Scissorlift Platform with 4 ft. x 42" W Platform
313	1	Mepaco 4,000 lb. S/S Scissorlift Platform with 4 ft. x 42" W Platform
314	1	23 ft. L x 12 ft. W x 10 ft. H S/S Mezzanine Platform, All S/S Constructed - Complete with Grating, Handrail and Stairs
315	1
316	1
317	1
318	1
***** SALE CONTINUES IN MAIN STARTER ROOM *****		
319	1	*** BULK BID - MAIN STARTER ROOM (***SUBJECT TO PIECEMEAL BIDDING***) ***
320	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-7-84, Code 7333-1110 - Complete with Agitator, Pasilac Air Valves, Great Lakes 692P pH Meter (Tank #1304)
321	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-7-84, Code 7333-1110 - Complete with Agitator, Pasilac Air Valves, Great Lakes 692P pH Meter (Tank #1305)
322	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-7-84, Code 7333-1110 - Complete with Agitator, Pasilac Air Valves, Great Lakes 692P pH Meter (Tank #1306)
323	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-7-84, Code 7333-1110 - Complete with Agitator, Pasilac Air Valves, Great Lakes 692P pH Meter (Tank #1307)
324	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-7-84, Code 7333-1110 - Complete with Agitator, Pasilac Air Valves (Tank #1308)
325	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-4-84, Code #73321468 - Complete with Agitator, Pasilac Air Valves (Tank #1401)

DAY ONE
Golden Cheese Co.
Corona, CA
August 6, 2009
Page 14



ITEM	QTY	DESCRIPTION
326	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-4-84, Code #73321468 - Complete with Agitator, Pasilac Air Valves (Tank #1402)
327	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-4-84, Code #73321468 - Complete with Agitator, Pasilac Air Valves (Tank #1403)
328	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-4-84, Code #73321468 - Complete with Agitator, Pasilac Air Valves (Tank #1404)
329	1	Pasilac 12,000 lb. Starter Tank, Type 5000 LTR, S/N 4536-4-84, Code #73321468 - Complete with Agitator, Pasilac Air Valves (Tank #1405)
330	1	47" W x Approximately 45 ft. L x 6 ft. H S/S Walk Platform - Complete with Grating, Stairs and Handrail
331	1	28" H x 26" W S/S Balance Tank
332	1	Fristam 15 hp Centrifugal Pump, Model FP3542-160 with 3" x 2" Clamp Type S/S Head and 3450 RPM Motor
333	1	7.5 hp Centrifugal Pump - Complete with 3" x 3" Clamp Type S/S Head and 1730 RPM Motor
334	1	Fristam 5 hp Centrifugal Pump, Model FPX712-130 - Complete with 2" x 1-1/2" Clamp Type S/S Head and 3450 RPM Motor
335	1	Fristam 5 hp Centrifugal Pump, Model FPX712-130 - Complete with 2" x 1-1/2" Clamp Type S/S Head and 3450 RPM Motor
336	1	Fristam 5 hp Centrifugal Pump - Complete with 4" x 2-1/2" Clamp Type S/S Head and 1750 RPM Motor
337	1	7.5 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1730 RPM Motor
338	23	Tri-Clover, Pasilac and APV 2" Air Valve Cluster with Stand
339	21	Tri-Clover and Pasilac 2" S/S Air Valve Cluster with Stand
340	14	Tri-Clover and Pasilac 2" S/S Air Valves with Manifold (*NOTE: Located Left Side of Room on Bottom of Tank Lot #320 to Lot #324 - Also (2) Valves Located Above)
341	7	Tri-Clover and Pasilac 2" S/S Air Valves with Manifold (*NOTE: Located on Right Side of Room on Bottom of Tank Lot #325 to Lot #329*)
342	10	Pasilac 2" S/S Butterfly Valves with 90 ft. 4" Manifolds
343	1	Pasilac S/S Plate Press, Type H17, S/N 14866 with (195) Plates and Butterfly Valve (*NOTE: Located Behind Lot #324 Tank*)
344	1	(9) Pc. - (2) 1-1/2" and 1" S/S Micro Motion Meters, (6) Tri-Clover and Pasilac 2" to 4" Air Valves and (1) Butterfly Valve
345	1	Remainder Installed 2" to 4" Installed S/S Piping in Room including: Check Valves and Fittings
346	1
347	1
348	1	Lipshaw All S/S Cabinet
349	1
350	1
351	1



ITEM	QTY	DESCRIPTION
***** SALE CONTINUES LINE 1 CHEESE PROCESSING ROOM *****		
352	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #21)
353	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #22)
354	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #23)
355	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #24)
356	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 S/N 64.005/01.10, Code 733.10 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #25)
357	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #26)
358	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 S/N 64.005/01.7, Code 733.10 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #27)
359	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 S/N 64.005/01.8, Code 733.10 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #28)
360	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #29)
361	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 S/N 64.005/01.3, Code 733.10 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #2A)
362	1	Pasilac 45,000 lb. OST S/S Cheese Vat, Type CT-2000 S/N 64.005/01.4, Code 733.10 - Complete with Tri-Clover and Pasilac S/S Air Valves, Mounted on Load Cells and Siemens Simatic PLC Controls (Unit #2B)
362A	1	Pasilac CT-2000 Cheese Vat Spare Parts Package
363	1	4 ft. W x 53" H x Approximately 119 ft. L S/S Operators Platform with Stairs and Handrail
364	1	Sine Process Pump, Model MR-160, S/N 102570204 with 6" Clamp Type S/S Head, SEW Drive Mounted on Stainless Frame
365	1	Sine Process Pump, Model MR-160, S/N 102590204 with 6" Clamp Type S/S Head, SEW Drive Mounted on Stainless Frame
366	1	Sine Process Pump, Model MR-160, S/N 102580204 with 6" Clamp Type S/S Head, SEW Drive



ITEM	QTY	DESCRIPTION
367	1	Maso Type 6" Pump, S/N 72190699 with 6" Clamp Type S/S Head, Sew Drive Mounted on Stainless Frame
368	28	Tri-Clover and Pasilac 4" S/S Air Valve Cluster and (6) Butterfly Valves with Rack
369	23	Tri-Clover and Pasilac 4" S/S Air Valve Cluster and (5) Butterfly Valves with Rack
370	1
371	46	Tri-Clover 2" to 3" S/S Air Valves, Most Model 761TR (*Located Front Side and Middle of Cheese Vats*)
372	38	Tri-Clover and Pasilac 4" S/S Air Valves (*Located on Rear Side of Pasilac Vats*)
373	19	Tri-Clover 4" S/S Air Valves (*Located on Above Rear Side of Vats*)
374	25	Tri-Clover and Pasilac 2" and 4" S/S Air Valves (*Located on Above Rear Side of Vats*)
375	26	Tri-Clover and Pasilac 2" and 4" S/S Air Valves (*Located on Above Rear Side of Vats*)
376	43	Pasilac 1" S/S Pneumatic Butterfly Valves (*Located on Above Rear Side of Vats*)
377	1	7.5 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1730 RPM Motor
378	1	7.5 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1764 RPM Motor
379	1	7.5 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1764 RPM Motor
380	1	10 hp Centrifugal Pump - Complete with 4" x 2-1/2" S/S Clamp Type S/S Head
381	1	CPS Scherping S/S Finesaver, Model CRU-7500, Job #3932106DA
382	1	CPS Scherping S/S Finesaver, Model CRU-7500, Job #3932106DA
383	1	CPS Scherping S/S Finesaver, Model CRU-7500, Job #4484
384	1	CPS Scherping S/S Finesaver, Model CRU-7500, Job #3932106DA
384A	1	CPS Finesaver Spare Parts
385	1	11 ft. L x 24" W x 22" Deep 4-Station S/S Balance Tank
386	9	Tri-Clover and Alfa Laval 2" and 3" 2-Way Clamp Type S/S Air Valves, Most Model 761TR
387	1	Fristam 5 hp Centrifugal Pump, Model FZX2150 - Complete with 2" x 2" Clamp Type S/S Head, Baldor S/S Clad 1750 RPM Motor
388	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-250 - Complete with 3" x 2-1/2" Clamp Type S/S Head, 1760 RPM Motor and Check Valve
389	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-250 - Complete with 3" x 2-1/2" Clamp Type S/S Head, 1760 RPM Motor and Check Valve
390	1	Fristam Approximately 3 hp Centrifugal Pump, Model FPX712-130 - Complete with 2" x 1-1/2" Clamp Type S/S Head
391	1	21" H x 14" W Wall Mounted S/S Chemical Feed Tank with (2) Air Actuated Ball Valves with Wall Mount
392	1	(3) 15" W x 38" H Heated S/S Sanitizing Tanks with Controller



ITEM	QTY	DESCRIPTION
393	1	Pasilac S/S Plate Press, Type N35, S/N 14867 - Complete with (157) Plates, 2-1/2" Flow Meter and Butterfly Valves
394	1	106" L x 6" W S/S Shell and Tube Heat Exchanger with Steam Valve
395	1	9 ft. L x 6" W S/S Shell and Tube Heat Exchanger with Steam Valve
396	1	30" H x 24" W S/S Balance Tank
397	1	Fristam 15 hp Centrifugal Pump, Model FPX355174428 - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1776 RPM Motor
398	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-200 - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1760 RPM Motor
399	1	Tri-Clover 5 hp Centrifugal Pump, Model C218 - Complete with 2-1/2" x 1-1/2" Clamp Type S/S Head and 1750 RPM Motor
400	1	29" H x 36" W S/S Balance Tank
401	1	31" H x 38" W S/S Balance Tank
402	1	Pasilac Plate Press, Type N35, S/N 15349 with (87) Plates
403	1
404	1	2003 APV Cheddar Master Tower (20,000 lbs. per hour Capacity), Ref. #103-00200, NDA #12967, All S/S Construction - Complete with Tri-Clover Air Valves, Balance Tank, Siemens Simatic PLC Controls, Multiple Level Walk Platform and Spare Parts
405	1	Macnar 45 ft. L x 78" W S/S Enclosed Draining and Salting Belt - Complete with Drives, Pump, Valves and Controls
406	1	138" L Inclined S/S Curd Elevator with (2) Fristam Pumps, (2) 4" Air Valves and Transfer Hose with Manifold
406A	1	Curd Elevator Spare Parts
407	1	Macnar 45 ft. L x 78" W S/S Enclosed Draining and Salting Belt - Complete with Drives, Tri-Clover Pump, Air Valves and Controls
408	1	Salt Belt Spare Parts
409	1	Approximately 3,000 Gal. Dome-Top Whey Buffer S/S Tank, (101" H x 58" W) with Concave Bottom, Side Man Door, Tri-Clover Air Valves and Level Sensor
410	1	Approximately 2,000 Gal. Whey Buffer S/S Tank (8 ft. H x 75" W) Cone-Top with Top Man Door and (2) Tri-Clover Air Valves and Level Sensor
411	1	Fristam Approximately 20 hp Centrifugal Pump, Model FPX1161 - 320 - Complete with 4" x 4" Clamp Type S/S Head
412	1	Fristam 20 hp Centrifugal Pump - Complete with 4" x 4" Clamp Type S/S Head with 1760 RPM Motor
413	15	Alfa Laval, Pasilac and Tri-Clover 3" and 4" Clamp Type S/S Air Valve Cluster
414	3	Tri-Clover 2" 2-Way Clamp Type S/S Air Valves, Model 761TR with Pasilac 3" Flow Meter
415	1	S/S Control Panel with Siemens Simatic 505 Remote PLC Controller with Switches, Breakers, Transformer and Regulators
416	1
417	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit N*)

DAY ONE
Golden Cheese Co.
Corona, CA
August 6, 2009
Page 18



ITEM	QTY	DESCRIPTION
418	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit M*)
419	1	Stoelting 40 lb. Block Former - Complete with Nash Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit L*)
420	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit J*)
421	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit H*)
422	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit F*)
423	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit D*)
424	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit B*)
425	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit A*)
426	1	Stoelting 40 lb. Block Former - Complete with Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit C*) (*Note: Pumps Missing*)
427	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit E*)
428	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit G*)
429	1	Stoelting 40 lb. Block Former - Complete with (2) Lyco Vacuum Pumps, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit I*)
430	1	Stoelting 40 lb. Block Former - Complete with Nash Vacuum Pump, Vacuum Chamber, Tri-Clover Air Valves and Controls (*Unit K*)
430A	1	Stoelting Block Former Spare Parts
431	1	Approximately 36 ft. L S/S Power Belt Conveyor System with 18" W Belt and Drive
432	1	Approximately 36 ft. L S/S Power Belt Conveyor System with 18" W Belt and Drive
433	1	62" W x 36 ft. L S/S Walk Platform with Plastic Grating
434	1	38" W x 30" H S/S Balance Tank
435	1	38" W x 30" H S/S Balance Tank
436	1	38" W x 30" H S/S Balance Tank
437	1	38" W x 30" H S/S Balance Tank
438	1	Block Tower Auxiliary Equipment Located Upstairs - Complete with Pasilac S/S Plate Press, Type H17, S/N 15755 with (75) Plates, Fristam Centrifugal Pump with (2) 36" L x 8" W Online Filters and 10" Vacuum Pump Manifold with Stainless Tank
439	8	Tri-Clover 1-1/2" and 4" 3-Way S/S Air Valves and Check Valve (*Located Above Lot #463*)



ITEM	QTY	DESCRIPTION
440	1	100's of Feet 1-1/2" to 4" Remaining Installed S/S Piping Located in Line 1 Cheese Processing Room including Hangers, Fittings, Flow Verter Station
441	1
442	1
***** SALE CONTINUES IN LINE 1 PACKAGING ROOM *****		
443	1	Massman Vacuum Sealer, Model VBSVR, S/N 050902 - Complete with 4-Station Head and Allen Bradley SLC 05 PLC Controller
444	1	Massman Case Packer, Model MAS24.0W/CO, S/N 050405 - Complete with Nordson Pro-Blue 10 Gluer and Allen Bradley SLC 5/05 PLC
445	1	Thermo/Goring Kerr S/S Metal Detector, Model DSP3 / S-PSU System, 18" W x 9" H Opening with DSP3 Read-Out
446	1	Ishida DACS Checkweigher
447	1	Marsh Hi-Res Ink Jet Coder, 1-Head with 46" L x 11" W Power Belt Conveyor
448	1	Massman High Entry Palletizer System, Model HEPVC, S/N 050907 with Pallet Dispenser and Allen Bradley SLC 5/05 PLC Controller including Operator's Platform
449	1	2005 Lantech Pallet Wrapper, Model Q600, S/N QA003502 with 52" W x 79" L Turntable and Allen Bradley SLC 5/05 PLC Controller
449A	1	Lantech Spare Parts
450	1	(7) Pc. - Hytrol 68 ft. L x 38" up to 51" W Power Roller Bed Conveyor System - Multiple Piece includes (5) Drives with Micro Switches and Controls Consisting of Outfeed Conveyor of Palletizer Infeed to Hardening Tunnel
451	1	Spantech S/S Conveyor System Throughout Line 1 Packaging, Most Sections 11" to 18" W with (3) Orienters, Straight Sections, Bends, Combiners, Inclines, S/S Leg Supports, Side Rails, Most with SEW Drives, Anderson AJ300 Chart Recorder and S/S Conveyor Bridges (Note: Starting After Block Towers, Ending at Cheese Hardening Tunnel)
452	1	Line 1 Control Cabinet with Computer System, Sato Labeler, Lexmark Printer and S/S Stand
453	1
454	1
455	1
456	1	Rapid Cooler Cheese Hardening System - Approximately 60 ft. L x 32 ft. W x 22 ft. H, 13-Level, 5" H Spacing, All Galvanized Construction, Controls, Conveyors and All Related Refrigeration including (10) 3-Fan Freon Blowers
457	1
458	1
459	1	Line 1 Packaging Room Spare Parts Package
460	1
461	1
462	1	Cheese Line Control Panel - Complete with (2) Siemens Simatic Remote PLC Controllers including Starters, Breakers, Wire Molding, Switches, Mounted in 2-Door S/S Enclosure (SC #800A-5D) (*Located Near Line 1 Packaging*)



ITEM	QTY	DESCRIPTION
463	1	Cheese Line Control Panel - Complete with Allen Bradley 5/30 PLC Controller with (5) Remote Racks, Cat #1771AD - Also including Power Supplies, Relays, Transformers, Panelview 400 Display, Mounted in 3-Door S/S Enclosure
464	1
465	1
***** SALE CONTINUES IN CHEESE LINE 1 & 2 CONTROL ROOM LOCATED NEAR LINE 1 PROCESSING *****		
466	1	Cheese Room Control Panel - Complete with Siemens Simatic 555 PLC Controller with TI505 Remote Rack - Also including Relays, Transformer, Wiring, Mounted in Hoffman 2-Door Enclosure, Also includes (2) Additional Cabinets with Ethernet Controllers
467	1	Deltec and Power Back-Up Power Supply Units, (1) Model 1CR3- 20TC120 X-240F - 710-120/1/60-UL (1999)
468	1	Milk Receiving, Cheese, Pasteurizer, CIP Processing Double Sided Process Control Panel - Complete with (9) Siemens Simatic 555 PLC Control Racks with (3) TI505 Remote Racks including SSV104 Transceiver, Relays, Wiring Mounted in Hoffman Enclosures
469	1	Cheese Process Double Sided Control Panel - Complete with (3) Siemens Simatic TI555 PLC Control Racks, (3) TI505 Remote Racks including Relays, Transformers, Breakers, Wire Molding, 8-Door Hoffman Enclosure
470	1
471	1
472	1
473	1
474	1
***** THE NEXT 15 LOTS - CHEESE PROCESS LINE CONTROLS TO BE SOLD BY PHOTOGRAPH AT THIS TIME AND ARE LOCATED NEAR RECEIVING BAY *****		
475	1	GE 8000 Line (100) Bucket Motor Control Center, Cat #515X0713L04 with 480 Volt, 3 Phase, 60 Hz - Complete with Toshiba and Other Variable Speed Controllers with Starters Up to Size 3 and Switches
476	1	GE 8000 Line (84) Bucket Motor Control Center, Cat #515X0713L07 with 480 Volt, 3 Phase, 60 Hz - Complete with Size 1 and Other Starters with Relays
477	1	GE 8000 Line (75) Bucket Motor Control Center, Cat #515X0713L05 with 480 Volt, 3 Phase, 60 Hz - Complete with Up to Size 3 Starters with Relays, Switches and Breakers
478	1	Cheeses Process Control Panel - Complete with (3) Siemens Simatic ET200M PLC Controllers and Remote Racks with Relays, Switches, Wiring and Enclosure
479	1	Cheese Process Starter Room Control Panel - Complete with Siemens Simatic ET200M PLC Controller with Switches, Fuse Blocks, Wiring Mounted in Enclosure
480	1	(6) Toshiba Variable Speed Controllers, 5 hp, 10 hp and 20 hp, Type VFS9 - 4075PL - WN, Type VT130G 3U - 4220N12 and Type VT130G - 2U4055



ITEM	QTY	DESCRIPTION
481	1	Toshiba 50 hp Variable Speed Controller, Type VT130 G2+4500
482	1	Siemens Midimaster Vector Variable Speed Controller
483	1	(7) Toshiba Variable Speed Controllers from 10 hp to 30 hp, Type VT130G7U4220 and Type VT130G7U4110
484	1	(6) Siemens MidiMaster and MicroMaster Vector Variable Speed Controllers - Up to 60 hp
485	1	(5) Toshiba Variable Speed Controllers from 10 hp to 50 hp, Type VT130G304110; Type VT130G244110 and Type VT130G7U4500B
486	1	(6) Toshiba Variable Speed Controllers from 20 hp to 25 hp, Type VT130G3U4220 and Others with Transformer
487	1	(7) Toshiba Variable Speed Controllers from 10 hp, 30 hp and 50 hp, Type VT130G3U4110, Type VT130G2+4330 and VT130G2+4500 and Others
488	1	(15) Toshiba Variable Speed Controllers from 10 hp to 20 hp, Type 4T130G7U41108, Type VT130G2+4110, Type VT13063U4220 and Others
489	1	(10) Toshiba and Siemens Variable Speed Controllers from 5 hp to 30 hp, Type VT130G2U4055, Type VT130G344330, MicroMaster and MidiMaster Vector
490	1
491	1
492	1
493	1
***** SALE CONTINUES IN WHEY PASTEURIZING ROOM *****		
494	1	1999 Westfalia / GEA 120,000 lbs. per hour Whey Clarifier, Type MSE300 - 96-777, S/N 1719877 - Complete with Balance Tank, Fristam Centrifugal Pump, Siemens Simatic 505 Remote PLC Control Panel and Hoist
495	1	1999 GEA / Ahlborn 197,000 lbs. per hour Whey Pasteurizer, Type VT80BC12, S/N 172110855 - Complete with (2) Dividers, Tri-Clover Flow Diversion Valve, 4" Holding Tube, Balance Tank, Tri-Clover Air Valves, (3) Centrifugal Pumps, Flow Meter and Allen Bradley and Siemens PLC Controls (#2 Whey Pasteurizer)
496	1	GEA / Ahlborn 197,000 lbs. per hour Whey Pasteurizer, Type VT80L0CIN, S/N 172/1103 - Complete with (1) Divider, Tri-Clover Flow Diversion Valve, 4" Holding Tube, Balance Tank, Tri-Clover Air Valves, (3) Centrifugal Pumps, Flow Meter, Shell and Tube Heat Exchanger and Allen Bradley PLC Controls (#1 Whey Pasteurizer)
497	1	Mueller 20,000 Gal. S/S Whey Silo, Model SV, S/N 150119-4 - Complete with Horizontal Agitator, (3) Pasilac and Tri-Clover Air Valves, Rosemount Level Control (Tank #15.02.00)
498	1	Mueller 20,000 Gal. S/S Whey Silo, Model SV, S/N 150119-3 - Complete with Horizontal Agitator, (3) Pasilac and Tri-Clover Air Valves, Rosemount Level Control (Tank #15.03.00)
499	1	Mueller 20,000 Gal. S/S Whey Silo, Model SV, S/N D-13965-1 - Complete with Horizontal Agitator, (3) Pasilac and Tri-Clover Air Valves, Rosemount Level Control (Tank #15.04.00)



ITEM	QTY	DESCRIPTION
500	1	Fristam 20 hp Centrifugal Pump, Model FPX1151250 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor
501	1	Fristam 20 hp Centrifugal Pump, Model FPX1151280 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor
502	1	Fristam Approximately 20 hp Centrifugal Pump, Model FPX1151250 - Complete with 4" x 4" Clamp Type S/S Head
503	27	Tri-Clover and Pasilac 3" and 4" S/S Air Valve Cluster
504	10	Tri-Clover and Pasilac 3" and 4" S/S Air Valve Cluster including Ball Valve
505	7	Tri-Clover and Pasilac 3" and 4" S/S Air Valves
506	1	42 ft. L x 6" W Shell and Tube Heat Exchanger with Rack, Trap and Check Valves
507	15	Tri-Clover 2" to 4" S/S Air Valves, 2 and 3-Way - Most Model 761TR, Mounted in S/S Pipe Manifolds including (2) Pasilac 3" Flow Meters with (2) 3" Check Valves
508	1	CM 2-Ton Chain Block with Trolley
509	1	S/S Finesaver with Controls
510	1	(2) S/S Finesavers on S/S Rack with Check Valve (*Note: Missing Parts*)
511	1	73" H x 45" W Approximately 500 Gal. Dome-Top Mix Tank - Complete with Vertical Agitator, Sprayball, (1) Tri-Clover Air Valve, Rosemount Level Meter, Ladder and Top Door
512	1	Brook 20 hp Centrifugal Pump - Complete with 4" x 2-1/2" Clamp Type S/S Head and 1760 RPM Motor
513	1	Tri-Clover 5 hp Centrifugal Pump, Model C218 - Complete with 3" x 2" Clamp Type S/S Head and 1750 RPM Motor
514	1	(5) Tri-Clover 2" to 4" S/S Air Valves, (2) 3" Online Filters, Endress Hauser 1-1/2" Flow Meter, Check and Butterfly Valves and Solenoid Control Panel
515	1	Installed 1-1/2" to 4" S/S Piping in Whey Pasteurizing Room including Fittings, Hangers, Some Check Valves (*NOTE: Does Not include any Piping or Valves Associated to #1 and #2 Whey Pasteurizers*)
516	1
517	1
***** SALE MOVES INTO SEPARATOR ROOM *****		
518	1	Westfalia 9,250 GPH Whey Separator, Type MSD300 - 01-777, S/N 1696800 - Complete with PLC Controls and Cream Tank with Air Valves
519	1	Westfalia 9,250 GPH Whey Separator, Type MSD300, S/N 1695306 - Complete with PLC Controls
520	1	Westfalia 6,600 GPH Whey Separator, Type MSD-200 - 01-076, S/N 1687547 - Complete with PLC Controls
521	1	Westfalia 6,600 GPH Whey Separator, Type MSD200 - 01-076, S/N 1684126 with PLC Controls, Cream Tank and Air Valve
522	1	Westfalia 6,600 GPH Whey Separator, Type MSD200 - 01-076, S/N 1684127 with PLC Controls
523	1	Westfalia 6,600 GPH Whey Separator, Type MSD200 - 01-076, S/N 1684128 with PLC Controls, Cream Tank and Air Valve



ITEM	QTY	DESCRIPTION
524	1	Westfalia Whey Separator, Type MSD170-01 - 076, S/N 1688016 with PLC Controls
525	1	Westfalia 16,500 lbs. per hour Salt Whey Separator, Type MSB-60-01 - 076, S/N 1683901 with PLC Controls, Cream Tank and Air Valve
526	1	Dayton 1/2-Ton Electric Hoist with Trolley
527	1	Dayton 1/2-Ton Electric Hoist with Trolley and Chain Block
528	1	Chain Block with Trolley including T-Shaped I-Beam
529	1	S/S Plate Press System - Complete with Divider and (58) Plates including Balance Tank, Fristam and Other Pumps, Trap with (7) Pasilac and Tri-Clover 1-1/2" Air Valves
530	1	76" H x 48" W Approximately 500 Gal. Dome-Top Mix Tank - Complete with Vertical Agitator, (2) Air Valves, Ladder, Top Man Door and Fristam Centrifugal Pump
531	1	34" W x 38" H Hinged Lid S/S Balance Tank including Tri-Clover Air Valve
532	1	38" W x 48" H S/S Balance Tank
533	1	Fristam 15 hp Centrifugal Pump - Complete with 3" x 2-1/2" Clamp Type S/S Head
534	1	Large Assortment Valves Located Above Westfalia SB60 Separator (Lot #525) - Complete with (19) Tri-Clover 1-1/2" to 4" 2 and 3-Way S/S Air Valves, Also including (2) Endress-Hauser and Pasilac 1-1/2" and 2" Flow Meters
535	1	(3) Tri-Clover and Waukesha 2" and 2-1/2" 2 and 3-Way S/S Air Valves with Endress-Hauser Flow Meter
536	1	(3) Tri-Clover and Waukesha 2" and 2-1/2" 2 and 3-Way S/S Air Valves with Endress-Hauser Flow Meter
537	1	(3) Tri-Clover and Waukesha 2" and 2-1/2" 2 and 3-Way S/S Air Valves with Endress-Hauser Flow Meter
538	1	(7) Tri-Clover, Waukesha and Pasilac 2" and 2-1/2" 2 and 3-Way S/S Air Valves with (2) Endress-Hauser Flow Meters
539	34	Tri-Clover, Waukesha, Pasilac and SPI 1-1/2" to 3" S/S Air Valves including Pasilac Flow Meter, Vacuum Breakers, Butterfly Valves, Check Valves including 1-1/2" to 4" Installed S/S Piping in Room Only with Flowverter Station and Hangers (*NOTE: Does Not Include Any Valves or Fittings Previously Marked*)
540	1
541	1
542	1
543	1	Westfalia Separator Tools
544	1	Westfalia Separator Tools
545	1	Westfalia Separator Tools
546	1
547	1
548	1
549	1
550	1



ITEM	QTY	DESCRIPTION
***** SALE CONTINUES UPSTAIRS MOTOR CONTROL CENTER ROOM *****		
551	1	GE 8000 Line (49) Bucket Motor Control Center, Cat #0665X0624F02, 480 V, 3 Phase, 60 Hz, Most Buckets with Size 1 to Size 3 Starters, Breakers, Switches, and Siemens Simatic ET200M PLC Controls with Transformer
552	1	GE 8000 Line (28) Bucket Motor Control Center, Cat #0665X0624F03, 480 V, 3 Phase, 60 Hz, Most Buckets with Size 1 to Size 2 Starters, Breakers, Switches, and Siemens Simatic ET200M PLC Controls
553	1	GE 8000 Line (35) Bucket Motor Control Center, Cat #0665X0090L01, 480 V, 3 Phase, 60 Hz, Most Buckets with Size 1 to Size 2 Starters, Breakers, Switches, and Siemens Simatic ET200M PLC Controls
554	4	Siemens Variable Speed Drives - Most 20 hp, Type Midimaster Vector, Type 6SE3223 - 0DH40 and Type 6SE3224 - 2DJ40
555	4	Siemens Variable Speed Drives - Most 20 hp, Type 6SE3223 - 0DH40
556	13	Siemens and Toshiba Variable Speed Drives - 5 hp to 10 hp, Type Micromaster Vector, Type FVF-S11 and Tosvert G3-130
557	10	Siemens and Toshiba Variable Speed Drives - 5 hp to 10 hp, Type Micromaster Vector, Type G7, Type VF-S11 and Type Tosvert G3 - 130
558	1	Control Panel with Siemens Simatic ET-200M PLC Controller
559	1
560	1
561	1
562	1	Fristam 3 hp Centrifugal Pump - Complete with 2" x 1-1/2" Clamp Type S/S Head and Plastic Grating (*NOTE: Does Not Include Installed Fixtures including Piping and Sink*)
563	1	Contents of Room including Rubber Mats, Bins, Buckets, Safety Signs
564	1
565	1
566	1	Roots Curd Blower, Type 68U-RAI, S/N 94J84813
567	1	Roots 30 hp Curd Blower, Type 68U-RAI, S/N 9718576
568	1	(3) Tri-Clover and Pasilac 4" All S/S Air Valves
569	1	4" S/S Filter
570	1	Chain Block with Trolley
571	1
SALE CONTINUES IN PRODUCTION SAMPLE HOLDING COOLER		
572	1	30" H x 24" W Hinged Lid S/S Balance Tank with Pump, Culligan Water Conditioner, (3) Tri-Clover 2" Air Valves, Endress-Hauser ProMass 80 Flow Meter with Chemical Feed Pump
573	1
574	1
***** SALE CONTINUES DOWNSTAIRS IN BENZOYL MAKE-UP ROOM *****		



ITEM	QTY	DESCRIPTION
575	1	Benzoyl Peroxide Make-Up System - Complete with 2-Tank Skid-Mounted System with 250 Gal. S/S Tanks, (Sizes 61" H x 35" W), (2) Pumps, Tri-Clover Air Valves, Chemical Feed System, Endress-Hauser Flow Meter, Piping and Walk Platform
576	1	(2) Haws Emergency Eyewash/Shower Stations - (1) Located in CIP Room
577	1	Knight Chemical Feed System with Barrel Containments and Dollie
578	1	162 Ft. Installed 2" to 4" S/S Piping in Room
579	1
580	1
***** SALE CONTINUES IN WHEY SILO ROOM *****		
581	1	Mueller 20,000 Gal. S/S Silo, Model SV, S/N 227718 - 1 - Complete with Horizontal Agitator, (3) Tri-Clover Air Valves (*Silo #73.05.00*)
582	1	Mueller 20,000 Gal. S/S Silo, Model SV, S/N 227718 - 2 - Complete with Horizontal Agitator, (3) Tri-Clover Air Valves (*Silo #73.06.00*)
583	1	Mueller 20,000 Gal. S/S Silo, Model SV, S/N 227718 - 3 - Complete with Horizontal Agitator, (3) Tri-Clover Air Valves (*Silo #73.07.00*)
584	1	Fristam 25 hp Centrifugal Pump, Model FPX1151 - 265 - Complete with 4" x 4" Clamp Type S/S Head and 1775 RPM Motor
585	1	Fristam 25 hp Centrifugal Pump, Model FPX3542-190 - Complete with 4" x 4" Clamp Type S/S Head and 1770 RPM Motor
586	1	Fristam 25 hp Centrifugal Pump, Model FPX1151 - 265 - Complete with 4" x 4" Clamp Type S/S Head and 1775 RPM Motor
587	13	Tri-Clover 3" and 4" S/S Air Valves
588	8	Tri-Clover 3" and 4" S/S Air Valves
589	9	Tri-Clover 3" and 4" S/S Air Valves
590	1	2006 CPS Scherping 9 ft. L x 6" W S/S Shell and Tube Heat Exchanger Board #714, S/N 6424-3, 150 psi at 365 Degree F with Steam Valve and Stainless Piping in Room Only
591	1	Silo Room Control Panel - Complete with Siemens Simatic 505 Remote PLC Rack with Transformer, Breakers, Fuse Links, Wiring and S/S Enclosure
592	1	Installed 2" to 4" S/S Piping in Room Only including Some Check Valves, Butterfly Valves and Hangers
593	1
594	1
595	1
596	1	1999 A & B Process 3-Tank CIP System - Complete with Dome-Top Insulated Tanks, (2) 4,000 Gal. S/S Tanks, Model CIP4000A and B, S/N 90390602A and B (14' H x 84" W) and 6,000 Gal. S/S Tank, Model SST-6000, S/N 90390603 (20' H x 86" W) - Complete with (2) Shell and Tube Heat Exchangers, (5) Fristam Centrifugal Pumps, Multiple Tri-Clover Air Valves, Foxboro Flow Meters and Siemens Simatic 505 Remote PLC Controls
597	1
598	1



ITEM	QTY	DESCRIPTION
599	1
		***** SALE CONTINUES OUTSIDE ON SILO PAD *****
600	1	Mueller 50,000 Gal. S/S Silo, Model SV, S/N 231444-2 with Bottom Man Door, Tri-Clover Air Valves (Water L2) (Silo #79.01.00)
601	1	Mueller 50,000 Gal. S/S Silo, Model SV, S/N 231444-1 with Bottom Man Door, Tri-Clover Air Valves (Water) (Silo #79.02.00)
602	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-200 - Complete with 3" x 2-1/2" Clamp Type S/S Head with 1760 RPM Motor and Check Valve
603	1	Fristam 10 hp Centrifugal Pump, Model FPX3551-200 - Complete with 3" x 2-1/2" Clamp Type S/S Head with 1760 RPM Motor and Check Valve
604	1	Fristam 5 hp Centrifugal Pump, Model FPX3541-195 - Complete with 3" x 2-1/2" Clamp Type S/S Head with 1760 RPM Motor
605	1	(3) Control Panels - (1) with Siemens Simatic ET200M PLC, (2) with (3) Milltronics OCM III CIP Controller and (1) with ABB Datum OCF5000 Controller
606	1	(2) Isco Sewage Monitors, Model 3710 Sampler - Complete with Anderson AJ300 Chart Recorder and Rubbermaid Cabinet
607	1	(2) Isco Sewage Monitors, Model 3710 Sampler - Complete with Anderson AJ300 Chart Recorder and Rubbermaid Cabinet
608	1
609	1
610	1	Mueller 50,000 Gal. S/S Silo, Model SV with Man Door (Silo #19.29.00) (Water Silo) (No ID Plate)
611	1	Mueller 50,000 Gal. S/S Silo, Model SV, S/N 135815-1 with Man Door (Silo #19.28.00) (City Water)
612	1	Mueller 15,000 Gal. S/S Silo with Man Door (Silo #19.02.00) (City Water) (ID Plate Missing)
613	1	Mueller 15,000 Gal. S/S Silo, Model SV, S/N D13566-21 with Bottom Man Door (Silo #19.01.00) (City Water)
614	1	6 ft. L x 16" W x 34" Deep S/S Drain Tank
615	1	2000 USF 4 ft. H x 30" W S/S Filter Pod, Model T910780 - 000, S/N 154236, 150 psi at 200 Degree with Valves
616	1
617	1
618	1	Fristam 15 hp Centrifugal Pump, Model FPX1151-240 - Complete with 4" x 4" Clamp Type S/S Head and 1760 RPM Motor and Transfer Hose
619	1	Fristam 5 hp Centrifugal Pump, Model FPX3541971966 - Complete with 3" x 2-1/2" Clamp Type S/S Head and 1750 RPM Motor
620	1	Fristam 15 hp Centrifugal Pump, Model 354174501 - Complete with 3" x 2-1/2" Clamp Type S/S Head and 3450 RPM Motor
621	1	Tri-Clover 20 hp Centrifugal Pump, Model C238 - Complete with 4" x 2" Clamp Type S/S Head and 3525 RPM Motor
622	2	Tri-Clover 3" 3-Way Long Stem S/S Clamp Type Air Valves, Model 761TR



ITEM	QTY	DESCRIPTION
623	1	Installed 2" to 8" Installed S/S Piping Surrounding Silo Pad Only including Check Valves, Butterfly Valves and S/S Piping
624	1
625	1
626	1
627	1
***** SALE CONTINUES IN OUTSIDE CHEMICAL STORAGE AREA *****		
628	1	Approximately 5,000 Gal. Dome-Top Cone-Bottom Nitric Acid S/S Tank (10 ft. H x 114" W) - Complete with Top Man Door and Ladder (Tank #2031)
629	1	Pasilac 4,000 Gal. Horizontal All S/S Sodium Hydroxide Caustic Tank, Type 7241, S/N 4545 - 3184 (8 ft. L x 96" W) with Top Man Door and Butterfly Valve
630	1	Chemical Feed System with Approximately 60 Gal. Resin Tank and (2) Pumps
631	1	Fristam 5 hp Centrifugal Pump, Model FPX712-130 - Complete with 2" x 1-1/2" Clamp Type S/S Head and 3450 RPM Motor including Spare Motor and Parts
632	3	Endress-Hauser 1" Flow Meters
633	1	Fristam Centrifugal Pump with (5) Endress-Hauser 1" Flow Meters
634	1	130" H x 120" W Vertical Plastic Caustic Tank
635	1	9 ft. H x 90" W Vertical Plastic Caustic Tank with Tri-Clover Pump and Pasilac Air Valve
636	1
637	1
SALE CONTINUES IN MAIN PLANT CIP ROOM		
638	1	Pasilac 5-Tank S/S CIP System - Complete with S/S Tanks including (1) 6,000 Gal. - (159" H x 112" W), (4) 4,000 Gal. - (140" H x 90" W) with Foxboro and Endress-Hauser 4" Flow Meters, Tri-Clover 4" Multiple Air Valves, (5) Scherping S/S Shell and Tube Heat Exchangers, (11) Centrifugal Pumps - Up to 40 hp and 4" Installed Piping in Room including Eyewash/Shower Station
639	1
***** SALE CONTINUES IN WHEY RO/UF ROOM *****		
640	1	2004 APV Invensys Membralox Skid-Mounted Micro Filtration System - Complete with (12) Filters, (4) 100 hp and 10 hp Pumps, Balance Tank, Valves and (4) Siemens Simatic ET200M PLC Controls
641	1
642	1	APV Skid-Mounted UF System - Complete with (61) 4" Tubes x 177" L Outfitted with (4) APV 50 hp Centrifugal Pumps, Tri-Clover and Pasilac Air Valves, (4) Adscos Shell and Tubes, Flow Meters, Installed Related Piping including Balance Tank System with APV Plate Press, (2) 25 hp Pumps and Controls (*UF III*)
643	1	APV Skid-Mounted UF System - Complete with (55) 4" Tubes x 177" L Outfitted with (3) APV 50 hp Centrifugal Pumps, Tri-Clover and Pasilac Air Valves, (3) Shell and Tubes, Flow Meters, Installed Related Piping including Dual Balance Tank System, Pasilac Plate Press, (2) 25 hp Pumps and Controls (*UF II*)



ITEM	QTY	DESCRIPTION
644	1	2001 Filtration Engineering Skid-Mounted Diafiltration System - Complete with (2) 36" L x 24" W S/S Tanks, (2) Fristam 7.5 hp Centrifugal Pumps, (11) 1" and 2" Pasilac Flow Meters, (13) Tri-Clover 771S Series Air Valves, Rosemount Flow Meters, Air Actuators, Butterfly Valves with Controls
645	1
646	1	APV R51 HTST System, S/N 28672 - Complete with (2) Dividers, (98) Plates, Balance Tank, (3) Centrifugal Pumps, 2-1/2" Holding Tube, APV Flow Diversion Valve, Additional Valves, Accurate Flow Meter and Related Piping
647	1	2000 APV Plate Press, Type A055MGS-10, S/N 2000 300 3000313 - 195 psi - Complete with (157) S/S Plates including (3) Fristam 25 hp Centrifugal Pumps with Filter Pod and (4) Check Valves
648	1	Pasilac Therm Approximately 6,000 Gal. Cone-Top Insulated S/S Tank (14 ft. H x 116" W), Type 7332, S/N 4550-2/84 with Rosemount Flow Meter, Pasilac Air Valve and Top Man Door (Unit #32.21.00)
649	1	Pasilac Therm Approximately 6,000 Gal. Cone-Top Insulated S/S Tank (14 ft. H x 116" W), Type 7332, S/N 4550-2/84 with Rosemount Flow Meter, Pasilac Air Valve and Top Man Door
650	1	Pasilac Therm Approximately 6,000 Gal. Cone-Top Insulated S/S Tank (14 ft. H x 116" W), Type 23000 LTR S/N 4541-5/84 with Rosemount Flow Meter, Pasilac Air Valve and Top Man Door
651	1	Pasilac Therm Approximately 6,000 Gal. Cone-Top Insulated S/S Tank (14 ft. H x 116" W) with Rosemount Flow Meter, Pasilac Air Valve and Top Man Door (Missing ID Plate)
652	1	(9) Pasilac and APV 2" and 3" S/S Air Valves on Skid with 10 hp Centrifugal Pump, Cone-Bottom Stainless Tank including Flow Verter Station with Related Piping in this Area Only (*Note: Located in Front of Lot #648*)
653	1	(7) Pasilac and APV 2" and 3" S/S Air Valves on Skid with 10 hp Centrifugal Pump, Check Valve including Related Piping in this Area Only (*NOTE: Located in Front of Lot #651*)
654	1	(8) Tri-Clover and Pasilac 1-1/2" to 3" S/S Air Valves (*NOTE: Located Behind Lot #651*)
655	1	(5) Tri-Clover and Pasilac 1-1/2" to 2" S/S Air Valves and Butterfly Valve including 7.5 hp Pump, Flow Verter Station, (3) Check Valves (*Note: Located in Front of Lot #649*)
656	1	(2) 50 hp and Approximately 5 hp Centrifugal Pumps with (8) Pasilac and Tri-Clover 1", 2" to 4" Air Valves with GLI pH System (*Note: Located in Front of Item #650*)
657	1	(25) Tri-Clover/APV and Pasilac Mostly 4" S/S Air Valve Cluster including 50 hp Centrifugal Pump (*Note: Located on Side of Lot #650*)
658	1
659	1
660	1	Mueller 60,000 Gal. Jacketed S/S Silo, Model SVW, S/N 254017 with Valve and Rosemount Flow Meter (*Unit 31.04.00) (Demineralized Water Silo)



ITEM	QTY	DESCRIPTION
661	1	Damrow 50,000 Gal. Silo with Valve and Rosemount Flow Meter (Unit #31.11.00) (Demineralized Water Silo)
662	1	Mueller 10,000 Gal. S/S Silo, Model SV, S/N D-13963-3 with Vertical Agitator, Pasilac Air Valves, Rosemount Flow Meter (Unit #35.01.00) (Whey Protein Concentrate)
663	1	Mueller 10,000 Gal. S/S Silo, Model SV, S/N D-13963-2 with Vertical Agitator, Pasilac Air Valves, Rosemount Flow Meter (Unit #35.02.00) (Whey Protein Concentrate)
664	1	Mueller 10,000 Gal. S/S Silo, Model SV, S/N D-13963-1 with Vertical Agitator, Pasilac Air Valves, Rosemount Flow Meter (Unit #35.03.00) (Whey Protein Concentrate)
665	1	Mueller 10,000 Gal. S/S Silo, Model SV, S/N D-13963-4 with Vertical Agitator, Pasilac Air Valves (Unit #35.05.00) (Whey Protein Concentrate)
666	1	Mueller 10,000 Gal. S/S Silo, Model SV, S/N D13963-5 with Vertical Agitator and Air Valves (Unit #35.06.00)
667	1
668	1	(18) Tri-Clover and Pasilac 3" to 4" S/S Air Valves, Butterfly Valves and (3) Centrifugal Pumps
669	1	(21) Tri-Clover, APV and Pasilac 3" to 4" S/S Air Valves and (3) Centrifugal Pumps
670	1	(70) Tri-Clover and Pasilac 3" to 4" S/S Air Valves, (3) 3" Online Filters and (2) Fristam and Other Pumps
671	1	(21) Pasilac 1-1/2" to 4" S/S Air Valves and (4) Centrifugal Pumps
672	1	Pasilac S/S Plate Press, Type N35, S/N 15156 with (31) Plates
673	1
674	1	APV UF System - Complete with (55) 4" x 177" L Tubes - Outfitted with (4) APV and Fristam Up to 50 hp Centrifugal Pumps, Tri-Clover and Pasilac S/S Air Valves, (3) Shell and Tubes, Flow Meters, Installed Piping including Skid-Mounted 2-Tank CIP System with (2) APV 20 and 25 hp Centrifugal Pumps with Valves
675	1	APV UF System - Complete with (46) 4" x 177" L Tubes - Outfitted with (5) APV and Fristam Up to 50 hp Centrifugal Pumps, Tri-Clover and Pasilac S/S Air Valves, Shell and Tube, Flow Meters, Installed Piping including Skid-Mounted 2-Tank CIP System with (2) APV Up to 30 hp Centrifugal Pumps with Valves
676	1
677	1
678	1	Mueller 40,000 Gal. Jacketed S/S Silo, Model SVW, S/N 141248-1 with Horizontal Agitator and Air Valve (Silo #35.07.00) (Kraft Whey Silo)
679	1	Mueller 40,000 Gal. S/S Silo, Model SV, S/N D22560-1 with Horizontal Agitator (Silo #31.01.00) (Cheese Whey)
680	1	Mueller 40,000 Gal. S/S Silo, Model SV, S/N D22560-2 with Horizontal Agitator (Silo #31.10.00) (Cheese Whey)



ITEM	QTY	DESCRIPTION
681	1	58" H x 51" W Hinged Lid S/S Tank - Complete with Lightnin Agitator, Wall Platform, Fristam Pump and Butterfly Valves
682	1	(24) Tri-Clover and Pasilac 2" to 3" S/S Air Valves with Rack (*Located in Front of Lot 666*)
683	1	(2) Brook 20 hp Centrifugal Pumps with S/S Heads
684	1	(19) Tri-Clover and Pasilac 3" to 4" S/S Air Valves, (2) Brook and Other Up to 20 hp Centrifugal Pumps with S/S Heads and GLI pH Meter
685	1	36" H x 39" W Hinged Lid S/S Tank - Complete with Brook Pump, (6) Tri-Clover and Pasilac 2-1/2" and 3" S/S Air Valves, Endress-Hauser Flow Meter, (2) S/S Scale Platforms
686	1
687	1
688	1	RO System with (96) 18 ft. L x 4" Tubes - Outfitted with (5) APV 30 hp Centrifugal Pumps, Micro Motion Flow Meter, Balance Tank with Pump, Tri-Clover and Pasilac and Other Air Valves and Related Installed S/S Piping
689	1	RO System Skid-Mounted CIP System - Complete with (3) Various Size S/S Tanks including 6 ft. H x 44" W, 79" H x 36" W and 40" H x 36" W with (5) Centrifugal Pumps - Up to 60 hp, Pasilac Flow Meter, APV, Tri-Clover and Other Air Valves, GLI pH System, Siemens Simatic 505 PLC Remote Controller, Related Piping and Walk Platform
690	1
691	1
692	1	Permeate RO System Skid-Mounted (12) 18 ft. x 8" Tubes, (4) Fristam 20 hp Centrifugal Pumps with Filters, (15) Tri-Clover and Pasilac S/S Air Valves, Pasilac Flow Meter, Micro Meters, Filters and Butterfly Valve
693	1	Polisher RO System with 18 ft. L x 8" Tubes with Endress-Hauser Flow Meter, Sightglasses and Pneumatic Valves
694	1	Fristam 40 hp High Shear Centrifugal Pump, Model FM322/3A-L - Complete with 2-1/2" x 2-1/2" Clamp Type S/S Head
695	1	Fristam 40 hp High Shear Centrifugal Pump, Model FM322/3A-L - Complete with 2-1/2" x 2-1/2" Clamp Type S/S Head
696	1	Fristam 40 hp High Shear Centrifugal Pump, Model FM322/3A-L - Complete with 2-1/2" x 2-1/2" Clamp Type S/S Head
697	1	RO System Support Items including (3) S/S Tanks - Up to Approximately 100 Gal. with Brook and Fristam Up to 25 hp Centrifugal Pumps
698	1	RO System Skid-Mounted CIP System - Complete with (2) 6 ft. H x 46" W S/S Tanks, (3) APV Up to 60 hp Centrifugal Pumps, Endress-Hauser, Flow Meter, Pasilac and Tri-Clover S/S Air Valves, Air Actuated Valves with Related S/S Piping and Controls with Siemens Simatic 505 Remote PLC Controller
699	1
700	1	Polisher RO System with (12) 18 ft. L x 8" W Tubes, (8) Fristam Up to 40 hp Pumps, Filters, (2) Balance Tanks, Pasilac S/S Air Valves, Pasilac Flow Meter and Related Installed S/S Piping



ITEM	QTY	DESCRIPTION
701	1	Salt Whey RO System with (18) 164" L x 4" W Tubes, S/S Air Valves, (2) Fristam Approximately 20 hp Centrifugal Pumps, GLI pH Meter (*Note: Not Complete*)
702	1	RO System Components including 35" H x 39" W S/S Balance Tank, Micro-Motion 2" Flow Meter, (18) Tri-Clover and APV 2" to 3" S/S Air Valves, 4 ft. Shell and Tube (Located Behind Salt Whey RO Lot #701)
703	1
704	1
705	1	Mueller 40,000 Gal. Jacketed S/S Silo, Model SVW, S/N 158610-2 with Horizontal Agitator and (3) Air Valves (Silo #31.17)
706	1	Mueller 40,000 Gal. Jacketed S/S Silo, Model SVW, S/N 158610-1 with Horizontal Agitator and (3) Air Valves (Silo #31.18)
707	1	1999 DCI 20,000 Gal. Jacketed S/S Silo, S/N JC00073 - Complete with Dish Bottom, High Yield Vertical Agitator, (2) Tri-Clover Air Valves (Silo 45.10.00) (Whey Pasteurizer Concentrate)
708	1	1994 DCI 20,000 Gal. Jacketed S/S Silo, S/N 94D49383 - Complete with Dish Bottom, High Yield Vertical Agitator, (2) Tri-Clover Air Valves (Silo 45.11.00) (Whey Pasteurizer Concentrate)
709	1	25 hp Centrifugal Pump - Complete with 4" x 4" Clamp Type S/S Head, 1760 RPM Motor including Tri-Clover 2-1/2" to 4" S/S Air Valves, Ball Valve, Pasilac Flow Meter, Flow Verter Station and GLI pH Meter
710	1	APV 25 hp Centrifugal Pump, Type W+30/120 - Complete with 4" x 3" Clamp Type S/S Head and 3525 RPM Motor
711	1	APV 25 hp Centrifugal Pump, Type W+30/120 - Complete with 4" x 3" Clamp Type S/S Head and 3550 RPM Motor
712	1	(10) APV 3" and 4" S/S Air Valve Cluster
713	1	(9) APV 3" and 4" S/S Air Valve Cluster with Check Valve
714	1	(39) APV 2" to 3" S/S Air Valve Cluster, (3) APV and Other Up to 5 hp Centrifugal Pumps, Butterfly Valve
715	1	Texas Instrument / Siemens 505 Remote PLC Controls in S/S Enclosure with Transformer, Relays, Fuse Links, Wire Molding
716	1	Siemens Simatic 505 Remote PLC Controls in S/S Enclosure with Transformer, Relays, Fuse Links and Wire Molding
717	1	Assorted Transfer Hose
718	1
719	1	Mueller 6,000 Gal. Jacketed S/S Silo, Model SVW, S/N D-29668-8 with Rosemount Level Sensor, (2) Air Valves and Offset Vertical Agitator (Silo #45.12.00)
720	1	Mueller 6,000 Gal. Jacketed S/S Silo, Model SVW, S/N D-29668-6 with (2) Air Valves and Offset Vertical Agitator (Silo #45.13.00)
721	1	Mueller 40,000 Gal. Jacketed S/S Silo, Model SVW, S/N 165495-2 with Horizontal Agitator, Air Valve (Silo #31.25.00) (Potable Water Silo)



ITEM	QTY	DESCRIPTION
722	1	Mueller 40,000 Gal. Jacketed S/S Silo, Model SVW, S/N 165495-1 with Horizontal Agitator, Air Valve (Silo #31.26.00) (Potable Water Silo)
723	1	(41) Tri-Clover and APV 2" and 3" S/S Air Valves with (3) APV and Fristam Pumps - Up to 7.5 hp Centrifugal Pumps and Butterfly Valves
724	1	(9) Tri-Clover and APV 3" and 4" S/S Air Valves with (4) APV and Fristam Centrifugal Pumps - Up to 25 hp, Ball Valve, Endress-Hausser Flow Meter and Flow Verter Station
725	1	Siemens Simatic 505 Remote PLC Controls in S/S Enclosure with Transformer, Relays, Fuse Links and Wire Molding
726	1
727	7	Tri-Clover and APV 4" Mostly 3-Way Long Stem S/S Air Valves
728	1	APV 7.5 hp Centrifugal Pump, Type W+50/08 - Complete with 1-1/2" x 1-1/2" Clamp Type S/S Head and 3510 RPM Motor
729	1	Siemens Simatic 505 Remote PLC Controls in S/S Enclosure with Transformer, Relays, Fuse Links and Wire Molding
730	1
731	1	Mueller 20,000 Gal. Jacketed S/S Silo with (2) Air Valves, Rosemount Level Sensor, Horizontal Agitator (*Note: Jacket Not Hooked Up*) (Silo #4519) (ID Plate Missing)
732	1	Mueller 20,000 Gal. Jacketed S/S Silo with (2) Air Valves, Rosemount Level Sensor, Horizontal Agitator (*Note: Jacket Not Hooked Up*) (Silo #45.20.00) (ID Plate Missing)
733	1	(9) APV/Tri-Clover 3" S/S Air Valve Cluster and APV Approximately 10 hp Centrifugal Pump
734	1	(9) APV/Tri-Clover 3" S/S Air Valve Cluster and APV Approximately 10 hp Centrifugal Pump
735	1
736	1
737	1
738	1	Pasilac 6,000 Gal. Jacketed Dome-Top S/S Mix Tank (Salt Whey), Type 25000LTR, S/N 4534 - 0-84 (176" H x 114" W) - Complete with Agitator, Tri-Clover Air Valves, Rosemount Level Sensor (Tank #45.14)
739	1	Pasilac 6,000 Gal. Jacketed Dome-Top S/S Mix Tank (Salt Whey), Type 25000LTR, S/N 4534 - 0-84 (176" H x 114" W) - Complete with Agitator, Tri-Clover Air Valves, Rosemount Level Sensor (Tank #45.15)
740	1	Fristam 5 hp Centrifugal Pump, Model FPX741-190 - Complete with 2-1/2" x 2" Clamp Type S/S Head and 1750 RPM Motor
741	1	Fristam 3 hp Centrifugal Pump, Model FPX741-190 - Complete with 2-1/2" x 2" Clamp Type S/S Head and 1750 RPM Motor
742	2	Tri-Clover 2" S/S Air Valves with Flow Verter Station
743	1
744	1



ITEM	QTY	DESCRIPTION
745	1	APV R51 Press System, S/N 25035 - Complete with (2) Dividers, Plates and Valves
746	1	Pasilac Approximately 1,500 Gal. Cone Top S/S Tank, S/N 4637685 (94" H x 74" W), Type 7331 6000 - Complete with Top Man-Door, Ladder, 5 hp Centrifugal Pump, S/S Feed Funnel, Approximately 100 Gal. Resin Tank with Chemical Feed Pump (Phosphoric Acid System)
747	1
748	1
749	1
***** SALE CONTINUES IN EVAPORATOR ROOM *****		
750	1	Mueller Approximately 800 Gal. Dome-Top S/S Processor (74" H x 60" W) - Complete with Bottom Sweep Agitator, Level Sensor, Baffle, Sprayball, Online Filter, Fristam and Other Centrifugal Pumps, S/S Funnel Feed, (2) Tri-Clover Air Valves and Walk Platform
751	1	Scherping 38" H x 32" W S/S Tank with Level Sensor and Chemical Feed Pump
752	1
753	1
754	1
755	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-1 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.15.31)
756	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-4 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.16.31)
757	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-6 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.14.31)
758	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-5 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.17.31)
759	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-3 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.18.31)
760	1	1999 Mueller 10,000 Gal. S/S Crystallizer Tank, Model C1C, S/N 238691-2 - Complete with Agitator, Baffle, Sprayball, (2) Tri-Clover Air Valves and Level Sensor (Tank #48.13.31)
761	25	Tri-Clover 2" to 2-1/2" S/S Air Valves - Some in Clusters (*Located Above Tank #755, #757 and #760*) with Related Piping in Surrounding Area Only
762	23	Tri-Clover 2" to 2-1/2" S/S Air Valves - Some in Clusters (*Located Above Tank #756, #758 and #759*) with Related Piping in Surrounding Area Only
763	1	Crystallizer Control Panel - Complete with Siemens Simatic 505 Remote PLC Controllers with Breakers, Transformer, Fuses Mounted in S/S Enclosure (*Located Upper Platform*)



ITEM	QTY	DESCRIPTION
764	1	8 ft. 6" W x Approximately 38 ft. L Crystallizer All S/S Walk Platform - Complete with Handrail including S/S Sink (*NOTE: Does Not Include Walk Platform Associated with Evaporator*)
765	1	(12) Tri-Clover 2" S/S Air Valves - Most in Clusters with (3) APV Centrifugal Pumps - Most 7.5 hp and Associated Piping in Area (*NOTE: Located Below Lot #755, #757 and #760*)
766	1	(9) Tri-Clover 2" S/S Air Valves - Most in Clusters with (3) APV Centrifugal Pumps - Most 7.5 hp and Associated Piping in Area (*NOTE: Located Below Lot #756, #758 and #759*)
767	1
768	1
769	1
770	1	CE Rogers 600 hp MVR 2-Effect S/S Evaporator, Rated Capacity 68,000 lbs. per hour, 6% TS to 55% Fully Outfitted with Two Body Single Effect MVR TVR Finisher, 2-Stage Flash Cooler, Shell and Tube Heat Exchanger, (2) Alfa Laval and Pasilac Heat Exchangers Centrifugal Pumps, Balance Tank, 4" Holding Tubes, CIP System, Vacuum Pumps, AC Compressor, Air Valves, Installed S/S and Other Related Piping, Siemens PLC Controller including Spare Motor
771	1	2005 A & B 3,000 Gal. Dome-Top Cone-Bottom S/S Tank, S/N 50561601 (Hot Well Tank)
772	1	98" H x 50" W Approximately 800 Gal. Dome-Top S/S Tank with Tri-Clover Air Valves and Fristam 15 hp Centrifugal Pump (Feed Tank)
773	1	96" H x 72" W Approximately 1,500 Gal. Dome-Top Cone-Bottom S/S Tank with Tri-Clover Air Valves and Top Man Door
774	1	Mueller Approximately 2,000 Gal. Dome-Top S/S Tank (149" H x 70" W) with Side Man Door and Tri-Clover Air Valves (Tank #1824 - Sodium Hydroxide)
775	1	Mueller Approximately 2,000 Gal. Dome-Top S/S Tank (149" H x 70" W) with Side Man Door and Tri-Clover Air Valves (Tank #2031 - Nitric Acid)
776	1	Approximately 200 Gal. Nitric Acid S/S Tank with Containment
777	1	Pennsylvania 10,000 lb. Capacity Digital Platform Scale, Model 7500 with 4 ft. x 4 ft. Platform and Ramp
778	1
779	1
780	1
***** SALE CONTINUES IN FILTERMAT DRYER ROOM *****		
781	1	Filtermat 5,000 lb. per hour Belt Dryer - Complete with S/S Duct Work, Exhaust Fans and Controls, (Blueprint 49 ft. L x 17 ft. W) with 16 ft. W Belt, (4-Stories High), Plate Press, Also including CIP System, Damrow Powder Mill, Cyclones, Balance Tank, Scrubber with Telluride Rings, Baghouse, Heat Exchanger, Holding Tube including Walk Platform
782	1	Gaulin 3-Piston High Press Pump, Model MSP-18 (*Plate Missing)



ITEM	QTY	DESCRIPTION
783	1	1999 Vav Scan-Vibro 22 ft. H x 6 ft. W S/S Powder Sifter, 10 ft. L x 43" W, Model SCALPING Sifter, S/N 29999 and N99065 with 22 ft. H x 6 ft. W S/S Powder Silo including Blower, Nucon Rotary Valve with Cone-Bottom Tank
784	1
785	1
786	1
787	1
788	1
789	1	Niro Atomizer, S/N 1900 (Pilot Spray Dryer)
790	1	(2) 46" H x 25" W and 43" H x 21" W S/S Tanks
791	1	4-Loop S/S Skid-Mounted RO System with 7 ft. L x 4" W Tubes including 10 hp Pump and Heat Exchanger (*NOTE: Not Complete*)
792	1	Mueller 600 Gal. Dome-Top S/S Processor, Model PCP, S/N D29570-6 (74" H x 60" W) with Bottom Sweep Agitator, Baffle and Dual Sprayball
793	1	Pasilac Plate Press Frame, Type H17, S/N 19546
794	1	37" H x 35" W Hinged Lid S/S Tank
795	1	42" L x 5" W Wall Mounted S/S Heat Exchanger with S/S Bundle
796	1	Equipment Engineering Tear-Down Type Separator, Model 370, S/N 3702962 (*Located Near Evaporator Room*)
797	1	4-Loop S/S Wall Mounted UF System with 92" L x 4" Tubes including (2) S/S Shell and Tube Heat Exchangers, Dual Balance Tank and Centrifugal Pump
798	1
799	1
800	1
801	1
802	1
803	1	Assorted Transfer Hose (*Located Along Side Crystallizer Lot #755, #757 and #760*)
804	1
***** SALE CONTINUES IN MOTOR CONTROL CENTER NEAR THE 2-STAGE EVAPORATOR *****		
805	1	GE 8000 Line (51) Bucket Motor Control Center, Cat #0672X 0416F01, 480 Volt, 3 Phase, 60 Hz - Complete with Siemens Simatic ET200M Remote PLC Controller, Transformer, Relays, Fuse Links, Wire Molding, Breakers, Most with Size 1 Starters (*For Rogers Evaporator and Filtermat Dryer Department*)
806	21	Siemens, WEG and Toshiba Variable Speed Controllers, 10 hp Up to 50 hp, Type MidiMaster Vector, Type G3 Tosvert-BU, Type MicroMaster Vector and Type CFW09
807	11	Siemens and Toshiba Variable Speed Controllers from 10 hp Up to 60 hp, Type MidiMastrer Vector, Type MiniMaster Vector and Type G7 Tosvert
808	1	Siemens Simatic ET200M Remote Control PLC Rack with Relays, Transformer, Fuse Links in Enclosure



ITEM	QTY	DESCRIPTION
809	1
810	1
811	1
812	1	Marriott Walker 1,500 lbs. per hour Powder at 28% TS Feed WPC Spray Dryer, Model 40-16-8, Job #1228, Ref #MAP-JWW, All S/S Constructed, Steam Heat - Complete with 16-Nozzle, (2) Heat Exchangers, Balance Tank, Fristam Centrifugal Pumps, APV and Tri-Clover Air Valves, Duct Work, Exhaust Fans with Controls, Auger Conveyor with Air Locks (Blueprint 40" L x 24" W x 17 ft. 4" H) including Spare Parts, Walk Platform and Installed Piping Surrounding Dryer
813	1	Gaulin High Pressure Pump, Model 630MSP18 - 5TPS, S/N 2859679 with Glycol Fluid Drive
814	1
815	1
816	1
817	1
818	1	CE Rogers 650 lbs. per hour Powder at 28% TS Feed WPC Spray Box Dryer, Model SP20-2-HD, All S/S Constructed, Gas Fired - Complete with (8) Nozzles, (2) Pre-Heaters, Exhaust, Duct Work, (2) Plate Heat Exchangers, Balance Tanks, Tri-Clover Air Valves, Fristam Pumps, Installed S/S Piping, Walk Platform and Controls (Blueprint 24 ft. L x 20" W x 2-Level Height 12 ft. 10" and Approximately 24 ft. H)
819	1	2004 GEA/Niro High Pressure Pump, Type NS3015P, S/N 5390, Rated at 1300 lbs. per hour
820	1
821	1
822	1
823	1
824	1
825	1	Marriott Walker 50,000 lbs. S/S Cone-Bottom Powder Silo - Mounted on Load Cells, Approximately 150" Dia. Cone Bottom, Job #122A81 with Blower, Rembe Explosion Proof System (*Used with Marriott Walker Dryer) (#2)
826	1	Marriott Walker 50,000 lbs. S/S Cone-Bottom Powder Silo - Mounted on Load Cells, Approximately 150" Dia. Cone Bottom, Job #122A81 with Rembe Explosion Proof System (*Used with Marriott Walker Dryer) (#1)
827	1	1999 Vav Scan-Vibro S/S Powder Sifter, 80" L x 25" W, S/N 209998 with Nucon Rotary Valve Power Valve Eriez Magnet (*Located on 3rd Level Upper Platform Near Lot #825 and #826*)
828	1
829	1
830	1
831	1



ITEM	QTY	DESCRIPTION
832	1	Approximately 90,000 lb. S/S Cone-Bottom Powder Silo, Mounted on Load Cells, Equipped with Rembe Explosive Proof Cages (*Used for Filtermat Dryer) (#5)
833	1	Approximately 90,000 lb. S/S Cone-Bottom Powder Silo, Mounted on Load Cells, Equipped with Rembe Explosive Proof Cages (*Used for Filtermat Dryer) (#4)
834	1	Approximately 90,000 lb. S/S Cone-Bottom Powder Silo, Mounted on Load Cells, Equipped with Rembe Explosive Proof Cages (*Used for Filtermat Dryer) (#3)
835	1
836	1
837	1
838	1	30,000 lb. S/S Cone-Bottom Powder Silo with Air Locks (Used for CE Rogers Dryer) (#6)
839	1	30,000 lb. S/S Cone-Bottom Powder Silo with Air Locks (Used for CE Rogers Dryer) (#7)
840	1	1999 Vav Scan-Vibe S/S Powder Sifter, 7 ft. L x 25" W, S/N 29997 with S/S Feed Hopper (*Located on 3rd Level) (Used with CE Rogers)
841	1
842	1
843	1
844	1
845	3	Siemens Powder Silo Control Panel - Complete with Siemens Simatic 505 Remote PLC Controller with S/S Enclosure (*Located on 1st, 2nd and 3rd Level*)
846	1
847	1
848	1
849	1	Electric Hoist with S/S Bin
850	1
851	1
852	1	Torit 6 ft. H x 54" W x 58" W Dust Collector System with (6) Bags, Model 2DF12, S/N 190334 with A & E Blower
853	1	Pneucan 42" W x 29" W S/S Powder Feed Hopper with Safety Cage, Blower and Control
854	1	(2) Goodway Shop Vacs and (1) Additional Canister
855	1
856	1
857	1
858	1	1999 GEA / AVAPAC Bulk Powder Filling Station, Model AM28001, S/N 28006 - Complete with S/S Powder Silo, Mounted on Load Cells with Lift Platform, 10 ft. 8" L x 12" W Trolley Driven, Powder Filling Head, Allen Bradley Controls with Mettler Toledo Scale, Read-Out with Operator's Platform with Computer System and Cabinet, Pallet Dispensing System including Power Door
859	1

DAY ONE
Golden Cheese Co.
Corona, CA
August 6, 2009
Page 38



ITEM	QTY	DESCRIPTION
860	1
861	1
***** THE NEXT 7 ITEMS ARE LOCATED ON MEZZANINE PLATFORM TO BE SOLD AT THIS TIME *****		
862	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61014, S/N C6321 - 490 CFM with Rack
863	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61011, S/N C7193 - 490 CFM
864	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61014, S/N C6327 - 490 CFM
865	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61014, S/N C6527 - 490 CFM
866	1	Busch 25 hp Vacuum Pump, Type RAU630 B4Z61114, S/N C6694 - 490 CFM
867	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61014, S/N C6326 - 490 CFM
868	1	Busch 25 hp Vacuum Pump, Type RC0630 B4Z61014, S/N C6324 - 490 CFM
869	1	Approximately 230 ft. 2" and 4" S/S Vacuum Pump Tubing (*Located in Warehouse Only*)
870	1
871	1
872	1
873	1	(2) Rubbermaid Cabinets
874	1	Assorted Barrel/Containments, Skids, Etc.
875	2	Enpac 70 Gal. Barrel Poly-Dollies
876	2	Enpac 70 Gal. Barrel Poly-Dollies
877	3	Enpac 70 Gal. Barrel Poly-Dollies
878	1	Assorted Step Stairs, (2) Ladders, Hose, S/S Strainer Basket, Brushes, Trash Can, Pails, S/S Cart, Shovels and Plastic Containers
879	1
880	1	Forklift Barrel Lifting Attachment
881	1	Forklift Barrel Lifting Attachment
882	1
883	1
884	1
885	1	Fend-All Emergency Eyewash Station and (4) Haws Emergency Eyewash/Shower Stations
886	1	Hobart Accu-Charge 36-Volt Battery Charger
887	1	Hobart Accu-Charge 36-Volt Battery Charger
888	1	Assorted 2" to 4" S/S Piping and Connectors
889	1	Cascade Slip Sheet Forklift Attachment
890	1	Assorted S/S Stairs with Plastic Grating
891	1
892	1
893	1

***** SALE CONTINUES IN UF/RO CONTROL ROOM *****



ITEM	QTY	DESCRIPTION
894	1	Hoffman 16-Door Dual Side RO/UF Main Process Control Panel - Complete with (10) Siemens Simatic 505/555 PLC and Remote Control Racks with Switches, Transformers, Connector Cards, Relays
895	1	Hoffman 12-Door Dual Side RO/UF Main Process Control Panel - Complete with (6) Siemens Simatic 505/555 PLC and Remote Control Racks with Switches, Transformers, Connector Cards, Relays
896	1
897	1
898	1
899	1
900	1	100's of Ft. 1-1/2", 3" and 4" Installed S/S Piping Located in RO/UF Room including Selected Hangers, Fittings, Remaining Valves Not Associated with Other Lots including Check Valves, Butterfly Valves by Various Manufacturers
901	1
902	1
903	1
904	1
***** SALE CONTINUES IN WHEY LAB *****		
905	1	(9) Fisher and Other Hand-Held Refractometers and Fisher and Oxford Pipeters
906	1	Precision Vacuum Oven
907	1	S/P American Brand 5 Gal. S/S Ultrasonic Cleaner
908	1	Fisher Scientific Hot Water Bath
909	1	Water/Alliance Gas Chromatograph, Model 2690, S/N K97SM 7134R - Complete with Waters 410 Differential Refractometer, Water 996 Photodiode Array Detector with Computer System and Accessories
910	1	Assorted Lab Glassware including Test Tubes, Beakers, Volumetric Flasks, Pipettes, Etc.
911	1	Assorted Lab Supplies including Test Tubes, Food Processor, Pressure Cooker, Pipettes, Sieves, Fisher Brand Vials, Test Tube Racks, Etc.
912	1	2000 GEA / Niro Soavis.p.a. Laboratory Homogenzier, Type Panda, S/N 2480 - 80 psi
913	1	Fisher Flask Stand with Accessories, T Line Lab Stirrer with Stand
914	1	(2) Kenmore Refrigerators, Frigidaire Reach-In Freezer and Water Cooler
915	1	VWR Scientific Products Humidity Chamber, Model 9000L, S/N 0100601
916	1	Labline Multimagnestir with Biorad Power Pack 300
917	1	Ohaus Moisture Analyzer, Model MB45, S/N 1126120327
918	1	Corning Stirrer/Hot Plate, Model PC420
919	1	Denver Ultra Basic Bench Top pH Meter, Model UB-10
920	1	Mettler Digital Scale, Model BB2400
921	1	Ohaus Digital Platform Scale, Model CD11, S/N 0020089 - 6DF
922	1	(2) VWR Symphony pH Meters, Model SB301 and SB80P1
923	1	Leica Zoom 2000 Illuminated Stereo Microscope
924	1	Assorted Centrifuge Parts



ITEM	QTY	DESCRIPTION
925	1	4 ft. W x 3 ft. Deep S/S Exhaust Hood
926	1	(4) Pc. - Kenmore Stove, GE Dishwasher, Microwave and Marble Small Refrigerator
927	1	Approximately 70 ft. Wood Constructed Lab Cabinets - Complete with (4) Sinks and Overhead Cabinets
928	1
929	1
930	1	Contents of Office including: L-Shaped Desk, (5) Bookshelves, (4) Cabinets, (3) File Cabinets, Hoover Sweeper, Computer Monitor and HP Printer
931	1
932	1
933	1	(4) 2-Door Steel Cabinets and Shelf Unit
934	1
935	1
***** SALE CONTINUES IN RO/UF MOTOR CONTROL CENTER ROOM - NEAR MAIN HALLWAY *****		
936	1	GE 8000 Line (92) Bucket Motor Control Center, Cat #515X07 13L13 - 480 Volt, 3 Phase, 60 Hz - Most Buckets with Size 1 to Size 3 Starters, Breakers, Relays
937	1	GE 8000 Line (49) Bucket Motor Control Center, Cat #515X07 13L10 - 480 Volt, 3 Phase, 60 Hz - Most Buckets with Size 1 to Size 3 Starters, Breakers, Relays
938	1	GE 8000 Line (39) Bucket Motor Control Center, Cat #515X07 13L12 - 480 Volt, 3 Phase, 60 Hz - Most Buckets with Size 1 to Size 3 Starters, Breakers, Relays
939	1	GE 8000 Line (51) Bucket Motor Control Center, Cat #0669X0 260F01 - 480 Volt, 3 Phase, 60 Hz - Most Buckets with Size 1 to Size 3 Starters, Breakers, Relays, Siemens Simatic ET200M Remote PLC Racks and VFD's
940	1	GE 8000 Line (53) Bucket Motor Control Center, Cat #0669X0 842A01 - 480 Volt, 3 Phase, 60 Hz - Most Buckets with Size 1 to Size 3 Starters, Breakers, Relays, Siemens Simatic ET200M Remote PLC Racks
941	5	Square D Altistart Soft Starter Panels, Type NKA4N - (4) 60 hp with (1) 20 hp, Type NFA4N including (2) Siemens and ABB Variable Speed Drives - Up to 20 hp
942	5	Square D Altistart Soft Start Controllers, Type N1A4N - 40 hp
943	3	Square D Altistart Soft Start Controller, Type N1A4N and NFA4N - 20 hp to 40 hp including (9) Toshiba and Siemens Variable Speed Drives from 5 hp Up to 100 hp, Type MidiMaster Vector, Type Micro-Master Vector, Type G3 Tosvert 130 and Type G7
944	11	Toshiba and Siemens Variable Speed Drives - 5 hp Up to 100 hp, Type MidiMaster Vector, Type Micro-Master and Type G7
945	1	Control Panel - Complete with Siemens PLC with Transformer, Switches and Fuses
946	1	Roll of 4 Conductor Copper Cable
947	1
948	1
949	1



ITEM	QTY	DESCRIPTION
950	1 ***** THANK YOU FOR ATTENDING TODAY'S AUCTION SALE! *****